# Index to volume 128

## AUTHOR INDEX*

### A


Aalami OO, Allen DB, Organ CH Jr. Chylous ascites: a collective review. 2000;128:761-78
Abdelhady K (*see* Lee et al). 2000;128:548-55
Abecassis MM (*see* Kaufman et al). 2000;128:726-37
Achanta K (*see* Katkhouda et al). 2000;128:784-90
Acher CW (*see* Turnipseed et al). 2000;128:751-6
Adachi Y (*see* Shiromizu et al). 2000;128:799-805
Ahonen J (*see* Pere et al). 2000;128:76-5
Ahrendt SA, Brown HM, Komorowski RA, Zhu YR, Wilson SD, Erickson BA, Ritch PS, Pitt HA, Demeure MJ. p21WAF-1 expression is associated with improved survival after adjuvant chemoradiation for pancreatic cancer. 2000;128:520-30
Ahya SN (*see* Wu et al). 2000;128:482-4
Ain K (*see* Alsanea et al). 2000;128:1043-51
Ainsworth PJ (*see* Feldman et al). 2000;128:93-8
Alam M (*see* Talpos et al). 2000;128:1013-21
Alexander HR (*see* Feingold et al). 2000;128:1103-10
Alexander HR (*see* Libutti et al). 2000;128:1022-8
Ali A (*see* Rossi et al). 2000;128:744-50
Allen DB (*see* Aalami et al). 2000;128:761-78
Alsanea O, Wada N, Ain K, Wong M, Taylor K, Ituarte PHG, Treseler PA, Weier HY, Freimer N, Siperstein AR, Duh QY, Takami H, Clark OH. Is familial non-medullary thyroid carcinoma more aggressive than sporadic thyroid cancer: a multicenter series. 2000;128:1043-51
Alverdy J, Vargish T. Laparoscopic intracavitary debridement of peripancreatic necrosis. 2000;128:496 (Letter reply)
Anderson RR (*see* White et al). 2000;128:1088-1101
Andrews JC (*see* Thompson et al). 2000;128:937-45
Angelis M (*see* Tzakis et al). 2000;128:486-9
Ansarin M (*see* Chiesa et al). 2000;128:16-21
Arbabi S, Rosengart MR, Garcia I, Maier RV. Hypertonic saline solution induces prostacyclin production by increasing cyclooxygenase-2 expression. 2000;128:198-205
Arbeille-Brassart B (*see* Khalfoun et al). 2000;128:44757
Arem R (*see* Miltenburg et al). 2000;128:1075-81
Arima M (*see* Shimada et al). 2000;128:791-8
Aron BS (*see* Hungness et al). 2000;128:702-7
Arrieta O (*see* Sotelo et al). 2000;128:439-46
Asano T (*see* Kobayashi et al). 2000;128:494 (Letter reply)
Austen W Jr (*see* Kyriakides et al). 2000;128:327-31
Ayala A (*see* Leuenroth et al). 2000;128:171-7
Ayala A (*see* Song et al). 2000;128:133-8


### B


Baez JM (*see* Gomez et al). 2000;128:494-6 (Letter)
Baggiolini M (*see* Goecke et al). 2000;128:806-14
Banavage A (*see* Nackman et al). 2000;128:293-300
Banerjee A (*see* Pomerantz et al). 2000;128:368-73
Baptista ML, Bonsack ME, Delaney JP. Seprafilm reduces adhesions to polypropylene mesh. 2000;128:86-92
Barbul A (*see* Shi et al). 2000;128:374-8
Bardos P (*see* Khalfoun et al). 2000;128:447-57
Barie PS (*see* Weyant et al). 2000;128:145-52
Barke RA (*see* Roy et al). 2000;128:219-24
Barnard J (*see* Beattie et al). 2000;128:496
Barnes D (*see* Henderson et al). 2000;128:540-7
Barnett CC, Varma DG, El-Naggar AK, Dackiw APB, Porter GA, Pearson AS, Kudelka AP, Gagel RF, Evans DB, Lee JE. Limitations of size as a criterion in the evaluation of adrenal tumors. 2000;128:973-83
Baron PL (*see* Kelley et al). 2000;128:353-60
Barrat D (*see* Khalfoun et al). 2000;128:447-57
Bartlett DI (*see* Libutti et al). 2000;128:1022-8
Bartlett DL (*see* Feingold et al). 2000;128:1103-10
Bartoletti AG (*see* Zwemer et al). 2000;128:815-21
Bartsch DK, Langer P, Wild A, Schilling T, Celik I, Rothmund M, Nies C. Pancreaticoduodenal endocrine tumors in multiple endocrine neoplasia type 1: surgery or surveillance. 2000;128:958-66
Bassiouny HS (*see* Desai et al). 2000;128:717-25
Basso S (*see* Favia et al). 2000;128:918-24
Baue AE (*see* Geha et al). 2000;128:623-30
Beattie GC, Barnard J, Siriwardena AK. Laparoscopic intracavitary debridement of peripancreatic necrosis. 2000;128:496 (Letter)
Beauchamp RD. Presidential address: evolution. 2000;128:123-32
Becker YT (*see* D'Alessandro et al). 2000;128:579-88
Behrns KE (*see* Heider et al). 2000;128:107-8
Benn CA (*see* Degiannis et al). 2000;128:54-8
Berber E (*see* Seven et al). 2000;128:36-40
Berends FJ, Cuesta MA, Kazemier G, van Eijck CHJ, de Herder WW, van Muiswinkel JM, Bruining HA, Bonjer HJ. Laparoscopic detection and resection of insulinomas. 2000;128:386-91
Berg J (*see* Nilsson et al). 2000;128:895-902
Berg R (*see* Myers et al). 2000;128:650-9
Bergen PC (*see* Scott et al). 2000;128:613-22
Berman RS (*see* Porter et al). 2000;128:306-11
Bernadas C (*see* Hansen et al). 2000;128:572-8
Birgisson G (*see* Park et al). 2000;128:660-7
Bland KI (*see* Jarrar et al). 2000;128:246-52
Bland KI (*see* Mor et al). 2000;128:847-61
Bleichrodt RP (*see* Rahusen et al). 2000;128:6-12
Bockhorn M (*see* Frilling et al). 2000;128:1067-74
Boffard K (*see* Degiannis et al). 2000;128:54-8
Bone HG (*see* Talpos et al). 2000;128:1013-21
Bonjer HJ (*see* Berends et al). 2000;128:386-91
Bonsack ME (*see* Baptista et al). 2000;128:86-92
Borecki I (*see* Freeman et al). 2000;128:281-5
Borobia FG (*see* Jorba et al). 2000;128:111-2
Bosch RJ (*see* Stone et al). 2000;128:465-71
Bothe A Jr (*see* Stone et al). 2000;128:465-71
Boulanger SC, Glick PL. Positive end expiratory pressure and response to inhaled nitric oxide therapy. 2000;128:871-2 (Letter)
Bowne WB (*see* Hawkins et al). 2000;128:173-80
Bozda AD, Nazh O, Peker Y, Tansun T, Kaymak E, Uluç E. Alveolar echinococcosis of the pancreas. 2000;128:109-10
Branson RD (*see* Johannigman et al). 2000;128:708-16
Brennan DC (*see* Wu et al). 2000;128:482-4
Brink JS, van Heerden JA, McIver B, Salmao DR, Farley DR, Grant CS, Thompson GB, Zimmerman D, Hay ID. Papillary thyroid cancer with pulmonary metastases in children: long term prognosis. 2000;128:881-7
Broelsch CE (*see* Frilling et al). 2000;128:1067-74
Brophy CM, Molinaro JR, Dickinson M. The macromolecular associations of heat shock protein-27 in vascular smooth muscle. 2000;128:320-6
Brown CM (see Martin et al). 2000;128:139-44
Brown HM (*see* Ahrendt et al). 2000;128:520-30
Brown JM (*see* Kelley et al). 2000;128:353-60
Bruce DS (*see* Buell et al). 2000;128:686-93
Bruining HA (*see* Berends et al). 2000;128:386-91
Bubrick MP (*see* Rodriguez et al). 2000;128:505-12
Büchler MW (*see* Goecke et al). 2000;128:806-14


*July, pp.1-122; August, pp. 123-378; September, pp. 379-496; October, part 1, pp. 497-756, part 2, pp. S1-S30; November, pp. 757-872; December, pp. 873-1132.

Buchman TG (*see* Freeman et al). 2000;128:281-5
Budak D (*see* Seven et al). 2000;128:36-40
Buell JF, Rosen S, Yoshida A, Labow D, Limsrichamrern S, Cronin DC, Bruce DS, Wen M, Michelassi F, Millis JM, Posner MC. Hepatic resection: effective treatment for primary and secondary tumors. 2000;128:686-93
Buhr HJ (*see* Foitzik et al). 2000;128:399-407
Bunnett NW (*see* Maa et al). 2000;128:232-9

C

Cady B, Chung M. Sentinel node biopsy-comment on techniques. 2000;128:13-15 (Commentary)
Calabrese L (*see* Chiesa et al). 2000;128:16-21
Calhoun RF II, Naziruddin B, Enriquez-Rincon F, Duffy BF, Ritter JM, Sundaresan S, Patterson GA, Cooper JD, Mohanakumar T. Evidence for cytotoxic T-lymphocyte response against human lung cnacer: reconstitition of antigenic epitope with peptide eluted from lung adenocarcinoma MHC class I. 2000;128:76-85
Calkins CM (*see* Pomerantz et al). 2000;128:368-73
Cambria RA (*see* Leville et al). 2000;128:178-84
Campbell RS (*see* Johannigman et al). 2000;128:708-16
Capdeville M (*see* Lee et al). 2000;128:548-55
Caragliano P (*see* Inabnet et al). 2000;128:1007-12
Carlson DJ (*see* Martin et al). 2000;128:139-44
Carneiro DM, Irvin GI. Late parathyroid function after successful parathyroidectomy guided by intraoperative hormone assay (QPTH) compared with the standard bilateral neck exploration. 2000;128:925-9
Carr SC (*see* Turnipseed et al). 2000;128:751-6
Carter G (*see* Jaffray et al). 2000;128:225-31
Carter WB, Uy K, Ward MD, Hoying JB. Parathyroid-induced angiogenesis is VEGF-dependent. 2000;128:458-64
Carter WB, Ward MD. HER2 regulatory control of angiopoietin-2 in breast cancer. 2000;128:153-8
Castañeda AA, Kim YS, Chang LK, Cui Y, Mercer DW. Nitric oxide synthase inhibition negates bombesin-induced gastroprotection. 2000;128:422-8
Celik I (*see* Bartsch et al). 2000;128:958-66
Cerrito PB (*see* Martin et al). 2000;128:139-44
Chaitman BR (*see* Myers et al). 2000;128:650-9
Chan FL (*see* Lo et al). 2000;128:903-9
Chang LK (*see* Castañeda et al). 2000;128:422-8
Charboneau R (*see* Roy et al). 2000;128:219-24
Chaudry IH (*see* Jarrar et al). 2000;128:246-52
Chaudry IH (*see* Song et al). 2000;128:133-8
Chen CC (*see* Feingold et al). 2000;128:1103-10
Cheney R (*see* Sabel et al). 2000;128:556-63
Cheng CW (*see* Lo et al). 2000;128:903-9
Chiesa F, Mauri S, Grana C, Tradati N, Calabrese L, Ansarin M, Mazzarol G, Paganelli G. Is there a role for sentinel node biopsy in early N0 tongue tumors? 2000;128:16-21
Chinkes DL (*see* Hart et al). 2000;128:312-9
Choe KA (*see* Pereira et al). 2000;128:678-85
Choyke PL (*see* Libutti et al). 2000;128:1022-8
Chung CS (*see* Song et al). 2000;128:133-8
Chung M (*see* Cady and Chung). 2000;128:13-15
Cigudosa JC (*see* Singh et al). 2000;128:888-94
Ciocca RG (*see* Nackman et al). 2000;128:293-300
Cioffi WG (*see* Jarrar et al). 2000;128:246-52
Clark OH (*see* Alsanea et al). 2000;128:1043-51
Clark OH (*see* Kebebew et al). 2000;128:952-7
Clark OH (*see* Soh et al). 2000;128:1059-66
Clausen M (*see* Frilling et al). 2000;128:1067-74
Cohen M (*see* Hansen et al). 2000;128:572-8
Colacchia TA (*see* Hamby et al). 2000;128:836-44
Cole DJ (*see* Kelley et al). 2000;128:353-60
Collet CS (*see* Le Blanc-Louvry et al). 2000;128:392-8
Colletti L (*see* Posner et al). 2000;128:694-701
Conejo-Garcia JR (*see* Goecke et al). 2000;128:806-14
Cooper JD (*see* Calhoun et al). 2000;128:76-85
Cowles RA, Taheri PA, Sweeney JF, Graziano GP. Efficacy of the laparoscopic approach for anterior lumbar spinal fusion. 2000;128:589-96
Cronin DC (*see* Buell et al). 2000;128:686-93
Cuesta MA (*see* Berends et al). 2000;128:386-91
Curci JA (*see* Huffman et al). 2000;128:429-38
Curtas S (*see* Henderson et al). 2000;128:540-7

D

Dackiw APB (*see* Barnett et al). 2000;128:973-83
Dagum P (*see* Timek et al). 2000;128:361-7
D'Alessandro AM, Hoffmann RM, Knechtle SJ, Odorico JS, Becker YT, Musat AM, Pirsch JD, Sollinger HW, Kalayoglu M. Liver transplantation from controlled non-heart-beating donors. 2000;128:579-88
D'Amico DF (*see* Favia et al). 2000;128:918-24
Daughters GT (*see* Timek et al). 2000;128:361-7
Davis EG, Eichenberger MR, Grant BS, Polk HC Jr. Microsatellite marker of interferon-gamma receptor 1 gene correlates with infection following major trauma. 2000;128:301-5
Davis K Jr (*see* Gearhart et al). 2000;128:631-40
Davis K Jr (*see* Johannigman et al). 2000;128:708-16
Davis K Jr (*see* Pereira et al). 2000;128:678-85
Davis RE (*see* Zwemer et al). 2000;128:815-21
De Faria W (*see* Tzakis et al). 2000;128:486-9
de Herder WW (*see* Berends et al). 2000;128:386-91
Decker RA (*see* Frohnauer and Decker). 2000;128:1052-8
DeCresce R (*see* Starr et al). 2000;128:930-6
Degiannis E, Benn CA, Leandros E, Goosen J, Boffard K, Saadia R. Transmediastinal gunshot injuries. 2000;128:54-8
Delaney JP (*see* Baptista et al). 2000;128:86-92
Delman K (*see* Karpoff et al). 2000;128:213-8
DeMets DL. The role of surrogate outcome measures in evaluating medical devices. 2000;128:379-85
Demeure MJ (*see* Ahrendt et al). 2000;128:520-30
Denis P (*see* Le Blanc-Louvry et al). 2000;128:392-8
Desai TR, Meyerson SL, McKinsey JF, Schwartz LB, Bassiouny HS, Gewertz BL. Angioplasty does not affect subsequent operative renal artery revascularization. 2000;128:717-25
Deutsch H (*see* Rubino et al). 2000;128:1035-42
Dhar DK (*see* Kubota et al). 2000;128:41-7
Dickinson M (*see* Brophy et al). 2000;128:320-6
Dietlein M (*see* Moka et al). 2000;128:29-35
Divine GW (*see* Talpos et al). 2000;128:1013-21
Doppman JL (*see* Feingold et al). 2000;128:1103-10
Douglas-Jones JWE (*see* Myers et al). 2000;128:650-9
Doyle J (*see* Stone et al). 2000;128:465-71
Drasin TE (*see* Maa et al). 2000;128:232-9
Ducrotté P (*see* Le Blanc-Louvry et al). 2000;128:392-8
Dudrick SJ (*see* Woo et al). 2000;128:59-66
Duffy BF (*see* Calhoun et al). 2000;128:76-85
Duh QY (*see* Alsanea et al). 2000;128:1043-51
Duh QY (*see* Kebebew et al). 2000;128:952-7
Dunn DL (see Weiss et al). 2000;128:339-44
Dyall R (*see* Hawkins et al). 2000;128:173-80

E

Eachempati SR (*see* Weyant et al). 2000;128:145-52
Eckhauser F (*see* Posner et al). 2000;128:694-701
Edmonds MW (*see* Feldman et al). 2000;128:93-8
Edwards MJ (*see* Martin et al). 2000;128:139-44
Efron DT (*see* Shi et al). 2000;128:374-8
Eibl G (*see* Foitzik et al). 2000;128:399-407
Eichenberger MR (*see* Davis et al). 2000;128:301-5
Eigelberger MS (*see* Soh et al). 2000;128:1059-66
El-Naggar AK (*see* Barnett et al). 2000;128:973-83
Ellerkamp V, Musholt TJ, Klebs SHG, Musholt PB, Scheumann GFW, Klempnauer J, Hoffmann MW. A murine model of allogeneic adrenocortical cell transplantation: perspectives for the treatment of Addison's disease in humans. 2000;128:999-1006
Elliott MD (*see* Kaufman et al). 2000;128:726-37
Eminoglu L (*see* Seven et al). 2000;128:36-40
Enriques-Rincon F (*see* Calhoun et al). 2000;128:76-85

Erickson BA (*see* Ahrendt et al). 2000;128:520-30
Erwin CR (*see* Stern et al). 2000;128:165-70
Erzurum VZ, Obermeyer RJ, Fecher A, Thyagarajan P, Tan P, Koler AK, Hirko MK, Rubin JR. What influences medical students' choice of surgical careers. 2000;128:253-6
Esato K (*see* Niimi et al). 2000;128:910-7
Essani R (*see* Katkhouda et al). 2000;128:784-90
Esselstyn CB (*see* Neumann et al). 2000;128:22-8
Evans DB (*see* Barnett et al). 2000;128:973-83

**F**

Fabian RL (*see* White et al). 2000;128:1088-1101
Fabregat J (*see* Jorba et al). 2000;128:111-2
Falcone RA (*see* Stern et al). 2000;128:165-70
Fan J, Shek PN, Suntres ZE, Li YH, Oreopoulos JD, Rotstein OD. Liposomal antioxidants provide prolonged protection against acute respiratory distress syndrome. 2000;128:332-8
Fan ST (*see* Lo et al). 2000;128:903-9
Farley DR (*see* Brink et al). 2000;128:881-7
Farley DR (*see* Kang et al). 2000;128:967-72
Farnell MB (*see* Gupta et al). 2000;128:641-9
Faulhaber J (*see* Foitzik et al). 2000;128:399-407
Favia G, Lumachi F, Basso S, D'Amico DF. Management of incidentally discovered adrenal masses and risk of malignancy. 2000;128:918-24
Favuzza J (*see* Kyriakides et al). 2000;128:327-31
Fecher A (*see* Erzurum et al). 2000;128:253-6
Feingold DL, Alexander HR, Chen CC, Libutti SK, Shawker TH, Simonds WF, Marx SJ, Skarulis MC, Doppman JL, Schrump DS, Bartlett DL. Ultrasound and sestamibi scan as the only preoperative imaging tests in reoperation for parathyroid adenomas. 2000;128:1103-10
Feldman GL, Edmonds MW, Ainsworth PJ, Schuffenecker I, Lenoir GM, Saxe AW, Talpos GB, Roberson J, Petrucelli N, Jackson CE. Variable expressivity of familial medullary thyroid carcinoma (FMTC) due to a RET V804M (GTG ATG) mutation. 2000;128:93-8
Ferrando AA (*see* Hart et al). 2000;128:312-9
Fischer JE. Presidential address: dead wrong-thinking about.. thinking about.. health care. 2000;128:497-504
Fisher SA (*see* Weese et al). 2000;128:564-71
Flye MW (*see* Otomo et al). 2000;128:206-12
Foissac-Geroux P (*see* Lokey et al). 2000;128:1029-34
Foitzik T, Eibl G, Hotz HG, Faulhaber J, Kirchengast M, Buhr HJ. Endothelin receptor blockade in severe acute pancreatitis leads to systemic enhancement of microcirculation, stabilization of capillary permeability, and improved survival rates. 2000;128:399-407
Fong Y (*see* Karpoff et al). 2000;128:213-8
Forssmann U (*see* Goecke et al). 2000;128:806-14
Foster M (*see* Katkhouda et al). 2000;128:784-90
Frame SB (*see* Gearhart et al). 2000;128:631-40
Frame SB (*see* Johannigman et al). 2000;128:708-16
Frame SB (*see* Pereira et al). 2000;128:678-85
Frasier MM (*see* Kelley et al). 2000;128:353-60
Freeman BD, Zehnbauer BA, McGrath S, Borecki I, Buchman TG. Cytochrome P450 polymorphisms are associated with reduced warfarin dose. 2000;128:281-5
Freimer N (*see* Alsanea et al). 2000;128:1043-51
Friedlander MH (*see* Katkhouda et al). 2000;128:784-90
Friess H (*see* Goecke et al). 2000;128:806-14
Frilling A, Görges R, Techklenborg, Gaßmann P, Bockhorn M, Clausen M, Browlsch CE. Value of preoperative diagnostic modalities in patients with recurrent thyroid carcinoma. 2000;128:1067-74
Frohnauer MK, Decker RA. Update on the MEN 2A c804 RET mutation: is prophylactic thyroidectomy indicated. 2000; 128:1052-8
Fryer JP (*see* Kaufman et al). 2000;128:726-37
Funami Y (*see* Shimada et al). 2000;128:791-8
Fung JJ (*see* Takahashi et al). 2000;128:345-52
Futagawa S (*see* Sugo et al). 2000;128:490-1

**G**

Gagel RF (*see* Barnett et al). 2000;128:973-83
Gagner M (*see* Rubino et al). 2000;128:1035-42
Gambotto A (*see* Takahashi et al). 2000;128:345-52
Garcia I (*see* Arbabi et al). 2000;128:198-205
Garrison RN (*see* Zhao et al). 2000;128:513-9
Gaßmann P (*see* Frilling et al). 2000;128:1067-74
Gaz RD (*see* White et al). 2000;128:1088-1101
Gazder PA (*see* Hungness et al). 2000;128:702-7
Gearhart MM, Luchette FA, Proctor MC, Lutomski DM, Witsken C, James L, Davis K Jr, Johannigman JA, Hurst JM, Frame SB. The risk assessment profile score identifies trauma patients at risk for deep vein thrombosis. 2000;128:631-40
Geha AS, Massad MG, Snow NJ, Baue AE. A 32-year experience in 100 patients with giant paraesophageal hernia: the case for abdominal approach and selective antireflux repair. 2000;128:623-30
Geisinger M (*see* Henderson et al). 2000;128:540-7
Geller DA (*see* Takahashi et al). 2000;128:345-52
Gershenwald JE (*see* Porter et al). 2000;128:306-11
Gewertz BL (*see* Desai et al). 2000;128:717-25
Gheorghiade M (*see* Kaufman et al). 2000;128:726-37
Ghossein R (*see* Singh et al). 2000;128:888-94
Gibbs JF (*see* Sabel et al). 2000;128:556-63
Gibson MR (*see* Hedin et al). 2000;128:1-5
Glaser RL (*see* Martin et al). 2000;128:139-44
Glasgow RE (*see* Hutter et al). 2000;128:286-92
Glasson JR (*see* Timek et al). 2000;128:361-7
Glenn G (*see* Libutti et al). 2000;128:1022-8
Glick PL (*see* Boulanger and Glick). 2000;128:871-2 (Letter)
Goecke H, Forssmann U, Uguccioni M, Friess H, Conejo-Garcia JR, Zimmermann A, Baggiolini M, Büchler MW. Macrophages infiltrating the tissue in chronic pancreatitis express the chemokine receptor CCR5. 2000;128:806-14
Gold JS (*see* Hawkins et al). 2000;128:173-80
Gomez F, Rodriguez A, Rivas J, Baez JM, Romero S, Marina D. Mesenteric arterial thrombosis due to activated protein C resistance (factor V Leiden). 2000;128:494-6 (Letter)
Gongora E (*see* Karakozis et al). 2000;128:113-5
Goosen J (*see* Degiannis et al). 2000;128:54-8
Görges R (*see* Frilling et al). 2000;128:1067-74
Grady EF (*see* Maa et al). 2000;128:232-9
Graham AM (*see* Nackman et al). 2000;128:293-300
Grana C (*see* Chiesa et al). 2000;128:16-21
Grant BS (*see* Davis et al). 2000;128:301-5
Grant CS (*see* Brink et al). 2000;128:881-7
Grant CS (*see* Thompson et al). 2000;128:937-45
Grant SW (*see* Katkhouda et al). 2000;128:784-90
Graviss EA (*see* Miltenburg et al). 2000;128:1075-81
Graziano GP (*see* Cowles et al). 2000;128:589-96
Green GR (see Timek et al). 2000;128:361-7
Grobmyer SR (*see* Weyant et al). 2000;128:145-52
Gruel Y (*see* Khalfoun et al). 2000;128:447-57
Grutkoski PS (*see* Leuenroth et al). 2000;128:171-7
Guevara P (*see* Sotelo et al). 2000;128:439-46
Gunji Y (*see* Shimada et al). 2000;128:791-8
Guo Z (*see* Kell et al). 2000;128:159-64
Gupta D, Sakorafas GH, McGregor CG, Harmsen WS, Farnell MB. Management of biliary tract disease in heart and lung transplant patients. 2000;128:641-9

**H**

Halaihel N (*see* Wright et al). 2000;128:259-65
Hamano K (*see* Niimi et al). 2000;128:910-7
Hamby LS, Colacchia TA, Nelson EC. Application of quality improvement to surgical practice. 2000;128:836-44
Hansen CH, Bernadas C, West MA, Ney AL, Muehlstedt S, Cohen M, Rodriguez JL. Abdominal vena caval injuries: outcomes remain dismal. 2000;128:572-8
Hanto DW (*see* Johnson et al). 2000:128:668-77

Harbison SP (*see* Weese et al). 2000;128:564-71
Harihara Y (*see* Kubota et al). 2000;128:48-53
Harken AH (*see* Pomerantz et al). 2000;128:368-73
Harmsen WS (*see* Gupta et al). 2000;128:641-9
Harness JK. Presidential address: interdisciplinary care-the future of endocrine surgery. 2000;128:873-80
Harris PD (*see* Zhao et al). 2000;128:513-9
Hart DW, Wolf SE, Mlcak R, Chinkes DL, Ramzy PI, Obeng MK, Ferrando AA, Wolfe RR, Herndon DN. Persistence of muscle catabolism after severe burns. 2000;128:312-9
Hasegawa K (*see* Kubota et al). 2000;128:48-53
Hasselgren PO (*see* Hungness et al). 2000;128:702-7
Hawkins HH (*see* Hungness et al). 2000;128:702-7
Hawkins WG, Gold JS, Dyall R, Wolchok JD, Hoos A, Bowne WB, Srinivasan R, Houghton AN, Lewis JJ. Immunization with DNA coding for gp100 results in CD4+ T-cell independent antitumor immunity. 2000;128:173-80
Hay ID (*see* Brink et al). 2000;128:881-7
Hayashi H (*see* Shimada et al). 2000;128:791-8
Hazard SW III (*see* Zwemer et al). 2000;128:815-21
Hechtman HB (*see* Kyriakides et al). 2000;128:327-31
Hedin KE, Kaczynski JA, Gibson MR, Urutia R. Transcription factors in cell biology, surgery, and transplantation. 2000;128:1-5
Heider R, Warshauer DM, Behrns KE. Inverted Meckel's diverticulum as a source of chronic gastrointestinal blood loss. 2000;128:107-8
Heimback JK (*see* Pomerantz et al). 2000;128:368-73
Henderson JM, Nagle A, Curtas S, Geisinger M, Barnes D. Surgical shunts and tips for variceal decompression in the 1990s. 2000;128:540-7
Henry DH (*see* Weese et al). 2000;128:564-71
Henry JF (*see* Raffaelli et al). 2000;128:1082-7
Herndon DN (*see* Hart et al). 2000;128:312-9
Hirko MK (*see* Erzurum et al). 2000;128:253-6
Hoch JR (*see* Turnipseed et al). 2000;128:751-6
Hoenig SJ (*see* Korn et al). 2000;128:472-9
Hoffman RM (*see* D'Alessandro et al). 2000;128:579-88
Hoffmann MW (*see* Ellerkamp et al). 2000;128:999-1006
Honasoge M (*see* Talpos et al). 2000;128:1013-21
Honda G (*see* Satoh et al). 2000;128:779-83
Hoos A (*see* Hawkins et al). 2000;128:173-80
Horahan K (*see* Nackman et al). 2000;128:293-300
Hotz HG (*see* Foitzik et al). 2000;128:399-407
Houghton AN (*see* Hawkins et al). 2000;128:173-80
Howard TK (*see* Wu et al). 2000;128:482-4
Hoying JB (*see* Carter et al). 2000;128:458-64
Huang F (*see* Stern et al). 2000;128:165-70
Huffman MD, Curci JA, Moore G, Kerns DB, Starcher BC, Thompson RW. Functional importance of connective tissue repair during the development-of experimental abdominal aortic aneurysms. 2000;128:429-38
Hungness ES, Safa M, Shaughnessy EA, Aron BS, Gazder PA, Hawkins HH, Lower EE, Seeskin C, Yassin RS, Hasselgren PO. Bilateral synchronous breast cancer: mode of detection and comparison of histologic features between the 2 breasts. 2000;128:702-7
Hurst JM (*see* Gearhart et al). 2000;128:631-40
Hurst JM (*see* Pereira et al). 2000;128:678-85
Hurst RD (*see* Michelassi et al). 2000;128:597-603
Hussain HB (*see* Phay et al). 2000;128:946-51
Hutter MM, Glasgow RE, Mulvihill SJ. Does the participation of a surgical trainee adversely impact patient outcomes? A study of major pancreatic resections in California. 2000;128:286-92
Hutter MM (*see* Maa et al). 2000;128:232-9
Hydo LJ (*see* Weyant et al). 2000;128:145-52

## I

Iacobone M (*see* Raffaelli et al). 2000;128:1082-7
Iimuro Y (*see* Satoh et al). 2000;128:779-83
Ikai I (*see* Satoh et al). 2000;128:779-83
Ikeda I (*see* Niimi et al). 2000;128:910-7
Inabnet WB, Caragliano P, Pertsemlidis D. Pheochromocytoma: inherited associations, bilaterality, and cortex preservation. 2000;128:1007-12
Inabnet WB (*see* Rubino et al). 2000;128:1035-42
Ingels NB (*see* Timek et al). 2000;128:361-7
Inoue K (*see* Sugita et al). 2000;128:417-21
Intrator O (*see* Mor et al). 2000;128:847-61
Irvin GI (*see* Carneiro and Irvin). 2000;128:925-9
Ituarte PHG (*see* Alsanea et al). 2000;128:1043-51

## J

Jackson CE (*see* Feldman et al). 2000;128:93-8
Jacobs DM (*see* Rodriguez et al). 2000;128:505-12
Jaffray C, Yang J, Carter G, Mendez C, Norman J. Pancreatic elastase activates pulmonary nuclear factor kappa B and inhibitory kappa B, mimicking pancreatitis-associated adult respiratory distress syndrome. 2000;128:225-31
James L (*see* Gearhart et al). 2000;128:631-40
Jarnagin W (*see* Karpoff et al). 2000;128:213-8
Jarrar D, Wang P, Knöferl MW, Kuebler JF, Cioffi WG, Bland KI, Chaudry IH. Insight into the mechanism by which estradiol improves organ functions after trauma-hemorrhage. 2000;128:246-52
Jatoi I (*see* Kim et al). 2000;128:834-5
Jaurrieta E (*see* Jorba et al). 2000;128:111-2
Jean-Claude JM (*see* Leville et al). 2000;128:178-84
Joehl RJ (*see* Yao et al). 2000;128:604-12
Johannigman JA, Davis K Jr, Miller SL, Campbell RS, Luchette FA, Frame SB, Branson RD. Prone positioning for acute respiratory distress syndrome in the surgical intensive care unit: who, when, and how long? 2000;128:708-16
Johannigman JA (*see* Gearhart et al). 2000;128:631-40
Johannigman JA (*see* Pereira et al). 2000;128:678-85
Johnson SR, Koehler A, Pennington LK, Hanto DW. Long-term results of surgical repair of bile duct injuries following laparoscopic cholecystectomy. 2000;128:668-77
Jones DB (*see* Scott et al). 2000;128:613-22
Jorba R, Fabregat J, Borobia FG, Torras J, Poves I, Jaurrieta E. Small bowel necrosis in association with early postoperative enteral feeding after pancreatic resection. 2000;128:111-2

## K

Kabashima A (*see* Maehara et al). 2000;128:408-16
Kaczynski JA (*see* Hedin et al). 2000;128:1-5
Kakeji Y (*see* Maehara et al). 2000;128:408-16
Kalayoglu M (*see* D'Alessandro et al). 2000;128:579-88
Kameyama K (*see* Niimi et al). 2000;128:910-7
Kanazawa K (*see* Sato et al). 2000;128:116-20
Kang AS, McCarthy JT, Rowland C, Farley DR, van Heeerden JA. Is calciphylaxis best treated surgically or medically? 2000;128:967-72
Karakozis S, Gongora E, Zapas JL, He P, Krishnan J, Kirkpatrick JR. Granular cell tumors of the biliary tree. 2000;128:113-5
Karpoff HM, Jarnagin W, Delman K, Fong Y. Regional muramyl tripeptide phosphatidylethanolamine administration enhances hepatic immune function and tumor surveillance. 2000;128:213-8
Karppanen H (*see* Pere et al). 2000;128:67-75
Kashiwagi H (*see* Sato et al). 2000;128:116-20
Katkhouda N, Mavor E, Achanta K, Friedlander MH, Grant SW, Essani R, Mason RJ, Foster M, Mouiel J. Laparoscopic repair of chronic intrathoracic gastric volvulus. 2000;128:784-90
Kaufman DB, Leventhal JR, Koffron A, Gheorghiade M, Elliott MD, Parker MA, Abecassis MM, Fryer JP, Stuart FP. Simultaneous pancreas-kidney transplantation in the mycophenolate mofetil/tacrolimus era: evolution from induction therapy with bladder drainage to noninduction therapy with enteric drainage. 2000;128:726-37
Kawaraskai H (*see* Kubota et al). 2000;128:48-53
Kaymak E (*see* Bozda et al). 2000;128:109-10
Kazemier G (*see* Berends et al). 2000;128:386-91

Kebebew E, Treseler PA, Duh QY, Clark OH. The helix-loop-helix transcription factor, Idl, is overexpressed in medullary thyroid cancer. 2000;128:952-7
Kell MR, Shelley O, Mannick JA, Guo Z, Lederer JA. A central role for CD95 (Fas) in T-cell reactivity after injury. 2000;128:159-64
Kelley JR, Brown JM, Frasier MM, Baron PL, Schweinfest CW, Vournakis JN, Watson DK, Cole DJ. The cancer-associated Sm-like oncogene: a novel target for the gene therapy of pancreatic cancer. 2000;128:353-60
Kellogg TA (*see* Weiss et al). 2000;128:339-44
Kellum JM (*see* Stoner et al). 2000;128:240-5
Kemp CJ (*see* Stern et al). 2000;128:165-70
Kent KC (*see* Korn et al). 2000;128:472-9
Kent KC (*see* Okazaki et al). 2000;129:192-7
Kerns B (*see* Huffman et al). 2000;128:429-38
Khaladj N (*see* Musholt et al). 2000;128:984-93
Khalfoun B, Barrat D, Watier H, Machet MC, Brassart BA, Riess JG, Salmon H, Gruel Y, Bardos P, Lebranchu Y. Development of an ex vivo model of pig kidney perfused with human lymphocytes: analysis of xenogeneic cellular reactions. 2000;128:447-57
Khuri SF. Application of quality improvement to surgical practice-a word of caution. 2000;128:845-6 (Commentary)
Kidaira S (*see* Niimi et al). 2000;128:910-7
Kim BS, Sbar AO, Jatoi I. Intra-abdominal cystic lymphangioma. 2000;128:834-5
Kim EH (*see* Maa et al). 2000;128:232-9
Kim YS (*see* Castañeda et al). 2000;128:422-8
Kin KJ (*see* Soh et al). 2000;128:1059-66
Kingsnorth A. Lichtenstein or plug-and-mesh in inguinal hernia repair. 2000;128:871 (Letter reply)
Kinoshita T (*see* Sugita et al). 2000;128:417-21
Kirchengast M (*see* Foitzik et al). 2000;128:399-407
Kirkpatrick JR (*see* Karakozis et al). 2000;128:113-5
Kirkwood KS (*see* Maa et al). 2000;128:232-9
Kitano S (*see* Shiromizu et al). 2000;128:799-805
Klebs SHG (*see* Ellerkamp et al). 2000;128:999-1006
Kleerekoper M (*see* Talpos et al). 2000;128:1013-21
Klempnauer J (*see* Ellerkamp et al). 2000;128:999-1006
Klempnauer J (*see* Musholt et al). 2000;128:984-93
Knechtle SJ (*see* D'Alessandro et al). 2000;128:579-88
Knöferl MW (*see* Jarrar et al). 2000;128:246-52
Knol J (*see* Posner et al). 2000;128:694-701
Kobayashi S, Asano T, Ochiai T. Bile duct carcinogenesis after excision of extrahepatic bile ducts in pancreaticobiliary malfunction. 2000;128:494 (Letter reply)
Kobayashi S (*see* Shimada et al). 2000;128:791-8
Koehler A (*see* Johnson et al). 2000:128:668-77
Koffron A (*see* Kaufman et al). 2000;128:726-37
Koga T (*see* Maehara et al). 2000;128:408-16
Kohno H (*see* Kubota et al). 2000;128:41-7
Koler AK (*see* Erzurum et al). 2000;128:253-6
Kologlu M, Yorganci K, Renda N, Sayek I. Effect of local and remote ischemia-reperfusion injury on healing of colonic anastomoses. 2000;128:99-104
Komorowski RA (*see* Ahrendt et al). 2000;128:520-30
Köning E (*see* Le Blanc-Louvry et al). 2000;128:392-8
Konishi F (*see* Sato et al). 2000;128:116-20
Konishi M (*see* Sugita et al). 2000;128:417-21
Korn P, Hoenig SJ, Skillman JJ, Kent KC. Is lower extremity revascularization worthwhile in patient's with end-stage renal disease? 2000;128:472-9
Kotoh T (*see* Kubota et al). 2000;128:41-7
Kraybill WG (*see* Sabel et al). 2000;128:556-63
Krishnan J (*see* Karakozis et al). 2000;128:113-5
Krogerus L (*see* Pere et al). 2000;128:67-75
Kubota H, Kotoh T, Masunaga R, Dhar DK, Shibakita M, Tachibana M, Kohno H, Nagasue N. Impact of screening survey of gastric cancer on clinicopathological features and survival: retrospective study at a single institution. 2000;128:41-7
Kubota K, Makuuchi M, Takayama T, Harihara Y, Watanabe M, Sano K, Hasegawa K, Kawarasaki H. Successful hepatic vein reconstruction in 42 consecutive living related liver transplantations. 2000;128:48-53
Kudelka AP (*see* Barnett et al). 2000;128:973-83
Kuebler JF (*see* Jarrar et al). 2000;128:246-52
Kyriakides C, Austen W Jr, Wang Y, Favuzza J, Moore FD Jr, Hechtman HB. Endothelial selectin blockade attenuates lung permeability of experimental acid aspiration. 2000;128:327-31

## L

Labow D (*see* Buell et al). 2000;128:686-93
Lai DT (*see* Timek et al). 2000;128:361-7
Laliberte LL (*see* Mor et al). 2000;128:847-61
Lam KSL (*see* Lo et al). 2000;128:903-9
Langella RL (*see* Yao et al). 2000;128:604-12
Langer P (*see* Bartsch et al). 2000;128:958-66
Larena-Avellaneda A (*see* Moka et al). 2000;128:29-35
Laycock R (*see* Scott et al). 2000;128:613-22
Le Blanc-Louvry I, Köning E, Zalar A, Touchais O, Collet CS, Denis P, Ducretté P. Severe dysphagia after laparoscopic fundoplication: usefulness of barium meal examination to identify causes other than tight fundoplication. 2000;128:392-8
Leandros E (*see* Degiannis et al). 2000;128:54-8
Lebranchu Y (*see* Khalfoun et al). 2000;128:447-57
Lederer JA (*see* Kell et al). 2000;128:159-64
Lee JA (*see* Stoner et al). 2000;128:240-5
Lee JE (*see* Barnett et al). 2000;128:973-83
Lee JE (*see* Porter et al). 2000;128:306-11
Lee JH, Abdelhady K, Capdeville M. Clinical outcomes and resource usage in 100 consecutive patients after off-pump coronary bypass procedures. 2000;128:548-55
Lee JS (*see* Sabel et al). 2000;128:556-63
Lenoir GM (*see* Feldman et al). 2000;128:93-8
Leuenroth SJ, Grutkoski PS, Ayala A, Simms HH. Suppression of PMN apoptosis by hypoxia is dependent upon Mcl-1 and MAPK activity. 00;128:171-7
Leventhal JR (*see* Kaufman et al). 2000;128:726-37
Leville CD, Osipov VO, Jean-Claude JM, Seabrook GR, Towne JB, Cambria RA. All-trans-retinoic acid decreases cell proliferation and increases apoptosis in an animal model of vein bypass grafting. 2000;128:178-84
Lewis JJ (*see* Hawkins et al). 2000;128:173-80
Li YH (*see* Fan et al). 2000;128:332-8
Libutti SK, Choyke PL, Alexander HR, Glenn G, Bartlett DI, Zbar B, Lubensky I, McKee SA, Maher ER, Linehan WM, Walther MM. Clinical and genetic analysis of patients with pancreatic neuroendocrine tumors associated with von Hippel-Lindau disease. 2000;128:1022-8
Libutti SK (*see* Feingold et al). 2000;128:1103-10
Lim D (*see* Singh et al). 2000;128:888-94
Lim E (*see* Pereira et al). 2000;128:678-85
Limsrichamrern S (*see* Buell et al). 2000;128:686-93
Lind L (*see* Nilsson et al). 2000;128:895-902
Lindgren L (*see* Pere et al). 2000;128:67-75
Linehan WM (*see* Libutti et al). 2000;128:1022-8
Ljungqvist O, Nygren J, Thorell A. Insulin resistance and elective surgery. 2000;128:757-60
Lloyd RV (*see* Thompson et al). 2000;128:937-45
Lo CY, Chan FL, Tam SCF, Cheng PW, Fan ST, Lam KSL. Value of intra-arterial calcium stimulated venous sampling for regionalization of pancreatic insulinomas. 2000;128:903-9
Lokey J, Pattou F, Mondragon-Sanchex A, Minuto M, Mullineris B, Wambergue F, Foissac-Geroux P, Noel C, de Sagazan HLM, VanHille P, Proye CAG. Intraoperative decay profile of intact (1-84) parathyroid hormone in surgery for renal hyperparathyroidism-a consecutive series of 80 patients. 2000;128:1029-34
Lower EE (*see* Hungness et al). 2000;128:702-7
Lubensky I (*see* Libutti et al). 2000;128:1022-8
Luchette FA (*see* Gearhart et al). 2000;128:631-40
Luchette FA (*see* Johannigman et al). 2000;128:708-16
Luchette FA (*see* Pereira et al). 2000;128:678-85
Luks FI, Wild YK, Piasecki GJ, De Paepe ME. Short-term tracheal occlusion corrects pulmonary vascular anomalies in the fetal lamb with diaphragmatic hernia. 2000;128:266-72
Lumachi F (*see* Favia et al). 2000;128:918-24
Lutomski DM (see Gearhart et al). 2000;128:631-40

**M**

Maa J, Grady EF, Yoshimi SK, Drasin TE, Kim EH, Hutter MM, Bunnett NW, Kirkwood KS. Substance P is a determinant of lethality in diet-induced hemorrhagic pancreatitis in mice. 2000;128:232-9
Machet MC (*see* Khalfoun et al). 2000;128:447-57
Maddock PG (*see* Mor et al). 2000;128:847-61
Madera AM (*see* Neumann et al). 2000;128:22-8
Maehara Y, Kabashima A, Koga T, Tokunaga E, Takeuchi H, Kakeji Y, Sugimachi K. Vascular invasion and potential for tumor angiogenesis and metastasis in gastric carcinoma. 2000;128:408-16
Maher ER (*see* Libutti et al). 2000;128:1022-8
Maier RV (*see* Arbabi et al). 2000;128:198-205
Maki HS (*see* Myers et al). 2000;128:650-9
Makuuchi M (*see* Kubota et al). 2000;128:48-53
Makuuchi M (*see* Sakamoto et al). 2000;128:822-31
Maluccio MA (*see* Weyant et al). 2000;128:145-52
Mannick JA (*see* Kell et al). 2000;128:159-64
Mansfield PF (*see* Porter et al). 2000;128:306-11
Marcaccio MJ (*see* Park et al). 2000;128:660-7
Margenthaler J (*see* Otomo et al). 2000;128:206-12
Marina D (*see* Gomez et al). 2000;128:494-6 (Letter)
Martin RCG, Edwards MJ, Wong SL, Tuttle TM, Carlson DJ, Brown CM, Noyes RD, Glaser RL, Vennekotter DJ, Turk PS, Tate PS, Sardi A, Cerrito PB, McMasters KM. Practical guidelines for optimal gamma probe detection of sentinel lymph nodes in breast cancer: results of a multi-institutional study. 2000;128:139-44
Martone WJ (*see* Nichols and Martone).2000;128:S1
Marx SJ (*see* Feingold et al). 2000;128:1103-10
Mason RJ (*see* Katkhouda et al). 2000;128:784-90
Massad MG (*see* Geha et al). 2000;128:623-30
Mastrangelo MJ (*see* Park et al). 2000;128:660-7
Masunaga R (*see* Kubota et al). 2000;128:41-7
Matheson PJ (*see* Zhao et al). 2000;128:513-9
Matsubara H (*see* Shimada et al). 2000;128:791-8
Matsuda N, Sellke FW. Regulation of coronary myoplasmic Ca 2+-myosin light chain phosphorylation pathway and vasomotor tone: hyperpolarizing versus depolarizing cardioplegia. 2000;128:185-91
Matsumoto F (*see* Sugo et al). 2000;128:490-1
Matsumoto K (*see* Niimi et al). 2000;128:910-7
Mauri S (*see* Chiesa et al). 2000;128:16-21
Mavor E (*see* Katkhouda et al). 2000;128:784-90
Mawatari K (*see* Okazaki et al). 2000;129:192-7
Mazzarol G (*see* Chiesa et al). 2000;128:16-21
McCarthy JT (*see* Kang et al). 2000;128:967-72
McGrath S (*see* Freeman et al). 2000;128:281-5
McGregor CG (*see* Gupta et al). 2000;128:641-9
McHenry CR, Slusarczyk SJ. Hypothyroidism following hemithyroidectomy: incidence, risk factors and management. 2000;128:994-8
McIver B (*see* Brink et al). 2000;128:881-7
McKee SA (*see* Libutti et al). 2000;128:1022-8
McKinley BP (*see* Sabel et al). 2000;128:556-63
McKinsey JE (*see* Desai et al). 2000;128:717-25
McMasters KM (*see* Martin et al). 2000;128:139-44
Meijer S (*see* Rahusen et al). 2000;128:6-12
Melis M (*see* Michelassi et al). 2000;128:597-603
Melnyk D (*see* Roy et al). 2000;128:219-24
Mendez C (*see* Jaffray et al). 2000;128:225-31
Mercan S (*see* Seven et al). 2000;128:36-40
Mercer DW (*see* Castañeda et al). 2000;128:422-8
Mervaala EMA (*see* Pere et al). 2000;128:67-75
Metzger J, Schüpfer G, von Flue M. Lichtenstein or plug-and-mesh in inguinal hernia repair. 2000;128:870-1 (Letter)
Meyerson SL (*see* Desai et al). 2000;128:717-25
Miccoli P. Video-assisted versus conventional parathyroidectomy in primary hyperparathyroidism. 2000;128:120 (Letter reply)
Michelassi F, Melis M, Rubin M, Hurst RD. Surgical treatment of anorectal complications in Crohn's disease. 2000;128:597-603
Michelassi F (*see* Buell et al). 2000;128:686-93
Mikami Y (*see* Sugo et al). 2000;128:490-1
Miller DC (*see* Timek et al). 2000;128:361-7
Miller SA (*see* Pomerantz et al). 2000;128:368-73
Miller SL (*see* Johannigman et al). 2000;128:708-16
Millis JM (*see* Buell et al). 2000;128:686-93
Miltenburg DM, Prost HM, Graviss EA, Arem R. The role of frozen section, gender, age and tumor size in the differentiation of follicular adenoma from carcinoma: a meta-analysis. 2000;128:1075-81
Minuto M (*see* Lokey et al). 2000;128:1029-34
Miyazawa Y (*see* Shimada et al). 2000;128:791-8
Mlcak R (*see* Hart et al). 2000;128:312-9
Mohanakumar T (*see* Calhoun et al). 2000;128:76-85
Moka D, Voth E, Dietlein M, Larena-Avellan A, Schicha H. Technetium 99m-MIBI-SPECT: a highly sensitive diagnostic tool for localization of parathyroid adenomas. 2000;128:29-35
Moley JF (*see* Phay et al). 2000;128:946-51
Molinaro JR (*see* Brophy et al). 2000;128:320-6
Mondragon-Sanchez A (*see* Lokey et al). 2000;128:1029-34
Moore FD Jr (*see* Kyriakides et al). 2000;128:327-31
Moore G (*see* Huffman et al). 2000;128:429-38
Mor V, Laliberte LL, Petrisek AC, Intrator O, Wachtel T, Maddock PG, Bland KI. Impact of breast cancer treatment guidelines on surgeon practice patterns: results of a hospital-based intervention. 2000;128:847-61
Most D (*see* Shi et al). 2000;128:374-8
Motoyama K (*see* Otomo et al). 2000;128:206-12
Mouiel J (*see* Katkhouda et al). 2000;128:784-90
Muehlstedt S (*see* Hansen et al). 2000;128:572-8
Muehlstedt SG (*see* Rodriguez et al). 2000;128:505-12
Muholland M (*see* Posner et al). 2000;128:694-701
Mullineris B (*see* Lokey et al). 2000;128:1029-34
Mulvihill SJ (*see* Hutter et al). 2000;128:286-92
Murase N (*see* Takahashi et al). 2000;128:345-52
Musat A (*see* D'Alessandro et al). 2000;128:579-88
Musholt PB (*see* Ellerkamp et al). 2000;128:999-1006
Musholt PB (*see* Musholt et al). 2000;128:984-93
Musholt TJ, Musholt PB, Khaladj N, Schulz D, Scheumann GEW, Lempnauer J. Prognostic significance of RET and NTRKI rearrangements in sporadic papillary thyroid carcinoma. 2000;128:984-93
Musholt TJ (*see* Ellerkamp et al). 2000;128:999-1006
Myers WO, Berg R, Ray JF, Douglas-Jones JWE, Maki HS, Ulmer RH, Chaitman BR, Reinhart RA. All-artery multigraft coronary artery bypass grafting with only internal thoracic arteries possible and safe: a randomized trial. 2000;128:650-9

**N**

Nabeya Y (*see* Shimada et al). 2000;128:791-8
Nackman GB, Horahan K, Banavage A, Ciocca RG, Graham AM. Predictors of health after revascularization for extremity ischemia. 2000;128:293-300
Nagai M (*see* Sakamoto et al). 2000;128:822-31
Nagasue N (*see* Kubota et al). 2000;128:41-7
Nagle A (*see* Henderson et al). 2000;128:540-7
Natt N (*see* Thompson et al). 2000;128:937-45
Nazh O (*see* Bozda et al). 2000;128:109-10
Naziruddin B (*see* Calhoun et al). 2000;128:76-85
Nelson EC (*see* Hamby et al). 2000;128:836-44
Neumann DR, Esselstyn CB, Madera AM. Sestamibi/iodine subtraction single photon emission computed tomography in reoperative secondary hyperparathyroidism. 2000;128:22-8
Ney AL (*see* Hansen et al). 572-8
NG WT. Bile duct carcinogenesis after excision of extrahepatic bile ducts in pancreaticobiliary malfunction. 2000;128:492-4 (Letter)
Ng WT. Video-assisted versus conventional parathyroidectomy in primary hyperparathyroidism. 2000;128:120 (Letter)
Nichols RL, Martone WJ. Deliberations on the risks and antibiotic management of surgical infections: preface. 2000;128:S1
Nies C (*see* Bartsch et al). 2000;128:958-66

Niimi M, Takashina M, Takami H, Ikeda Y, Shatari T, Hamano K, Esato K, Matsumoto K, Kameyama K, Kodaira S, Wood KJ. Overexpression of heme oxygenase-1 protects allogeneic thyroid grafts from rejection in naive mice. 2000;128:910-7
Nilsson IL, Berg J, Rastad J, Lind L. Left ventricular systolic and diastolic function and exercise testing in primary hyperparathyroidism-effects of parathyroidectomy. 2000;128:895-902
Nobori M (*see* Sakamoto et al). 2000;128:822-31
Noel C (*see* Lokey et al). 2000;128:1029-34
Nokubi M (*see* Sakamoto et al). 2000;128:822-31
Norman J (*see* Jaffray et al). 2000;128:225-31
Noyes RD (*see* Martin et al). 2000;128:139-44
Nussbaum MS. What influences medical students' choice of surgical careers-a critical appraisal. 2000;128:257-8 (Editorial)
Nwariaku F (*see* Wright et al). 2000;128:259-65
Nygren J (*see* Ljungqvist et al). 2000;128:757-60

**O**

Obeng MK (*see* Hart et al). 2000;128:312-9
Obermeyer RJ (*see* Erzurum et al). 2000;128:253-6
O'Brien DP (*see* Pereira et al). 2000;128:678-85
Ochiai T (*see* Kobayashi et al). 2000;128:494 (Letter reply)
Ochiai T (*see* Shimada et al). 2000;128:791-8
Odorico JS (*see* D'Alessandro et al). 2000;128:579-88
O'Hea BJ, Tornos C. Mild ductal atypia after large-core needle biopsy of the breast: is surgical excision always necessary? 2000;128:738-43
Okabe H (*see* Satoh et al). 2000;128:779-83
Okazaki J, Mawatari K, Liu B, Kent KC. The effect of protein kinase C and its alpha subtype on human vascular smooth muscle cell proliferation, migration, and fibronectin production. 2000;128:192-7
Okazumi SI (*see* Shimada et al). 2000;128:791-8
Oreopoulos GD (*see* Fan et al). 2000;128:332-8
Organ CH (*see* Aalami et al). 2000;128:761-78
Osipov VO (*see* Leville et al). 2000;128:178-84
Otomo N, Motoyama K, Yu S, Shimizu Y, Margenthaler J, Tu F, Flye MW. Intrathymic alloantigen-mediated, tolerant, completely major histocompatibility complex-mismatched mouse hearts are specifically rejected by adoptively transferred anti-class $II^{d+}$-specific 2C cells. 2000;128:206-12

**P**

Paepe ME (*see* Luks et al). 2000;128:266-72
Paganell G (*see* Chiesa et al). 2000;128:16-21
Pamoukian VN (*see* Rubino et al). 2000;128:1035-42
Park AE, Birgisson G, Mastrangelo MJ, Marcaccio MJ, Witzke DB. Laparoscopic splenectomy: outcomes and lessons learned from over 200 cases. 2000;128:660-7
Parker MA (*see* Kaufman et al). 2000;128:726-37
Parson LL (*see* Pasieka and Parson). 2000;128:531-9
Pasieka JL, Parson LL. A prospective surgical outcome study assessing the impact of parathyroidectomy on symptoms in patients with secondary and tertiary hyperparathyroidism. 2000;128:531-9
Patterson GA (*see* Calhoun et al). 2000;128:76-85
Pattou F (*see* Lokey et al). 2000;128:1029-34
Pearson AS (*see* Barnett et al). 2000;128:973-83
Peker Y (*see* Bozda et al). 2000;128:109-10
Pennington LK (*see* Johnson et al). 2000:128:668-77
Pere AK, Krogerus L, Mervaala EMA, Karppanen H, Ahonen J, Lindgren L. Beneficial effects of dietary magnesium and potassium on cardiac and renal morphologic features in cyclosporin A-induced damage in spontaneously hypertensive rats. 2000;128:67-75
Pereira SJ, O'Brien DP, Luchette FA, Choe KA, Lim E, Davis K Jr, Hurst JM, Johannigman JA, Frame SB. Dynamic helical computed tomography scan accurately detects hemorrhage in patients with pelvic fracture. 2000;128:678-85
Pertsemlidis D (*see* Inabnet et al). 2000;128:1007-12
Petrisek AC (*see* Mor et al). 2000;128:847-61
Petrucelli N (*see* Feldman et al). 2000;128:93-8
Phay JE, Hussain HB, Moley JF. Strategy for identification of novel transporter family members by using Internet-based genomic databases. 2000;128:946-51
Phillips CL (*see* Zwemer et al). 2000;128:815-21
Phillips ER (*see* Talpos et al). 2000;128:1013-21
Piasecki GJ (*see* Luks et al). 2000;128:266-72
Pijpers R (*see* Rahusen et al). 2000;128:6-12
Pilch BZ (*see* White et al). 2000;128:1088-1101
Pinna A (*see* Tzakis et al). 2000;128:486-9
Pirsch JD (*see* D'Alessandro et al). 2000;128:579-88
Pitt HA (*see* Ahrendt et al). 2000;128:520-30
Polk HC Jr (*see* Davis et al). 2000;128:301-5
Poluri A (*see* Singh et al). 2000;128:888-94
Pomerantz BJ, Robinson TN, Heimbach JK, Calkins CM, Miller SA, Banerjee A, Harken AH. Selective mitochondrial KATP channel opening controls human myocardial preconditioning: too much of a good thing? 2000;128:368-73
Porter GA, Ross MI, Berman RS, Sumner WE III, Lee JE, Manfield PF, Gershenwald JE. How many lymph nodes are enough during sentinel lymphadenectomy for primary melanoma. 2000;128:306-11
Porter GA (*see* Barnett et al). 2000;128:973-83
Posner MC (*see* Buell et al). 2000;128:686-93
Posner S, Colletti L, Knol J, Mulholland M, Eckhauser F. Safety and long-term efficacy of transduodenal excision for tumors of the ampulla of Vater. 2000;128:694-701
Potenti FM (*see* Ugolini et al). 2000;128:480-1
Poves I (*see* Jorba et al). 2000;128:111-2
Pricolo VE (*see* Ugolini et al). 2000;128:480-1
Prinz RA (*see* Rossi et al). 2000;128:744-50
Prinz RA (*see* Starr et al). 2000;128:930-6
Proctor MC (*see* Gearhart et al). 2000;128:631-40
Prost HM (*see* Miltenburg et al). 2000;128:1075-81
Proye CAG (*see* Lokey et al). 2000;128:1029-34

**R**

Raffaelli M, Iacobone M, Henry JF. The false nonrecurrent inferior laryngeal nerve. 2000;128:1082-7
Rahusen FD, Pijpers R, van Diest PJ, Bleichrodt RP, Torrenga H, Meijer S. The implementation of the sentinel node biopsy as a routine procedure for patients with breast cancer. 2000;128:6-12
Ramzy PI (*see* Hart et al). 2000;128:312-9
Rao DS (*see* Talpos et al). 2000;128:1013-21
Rao PH (*see* Singh et al). 2000;128:888-94
Rao S (*see* Yao et al). 2000;128:604-12
Rastad J (*see* Nilsson et al). 2000;128:895-902
Ray JF (*see* Myers et al). 2000;128:650-9
Rege RV (*see* Scott et al). 2000;128:613-22
Reinhart RA (*see* Myers et al). 2000;128:650-9
Renda N (*see* Kologlu et al). 2000;128:99-104
Reploeg MD (*see* Wu et al). 2000;128:482-4
Reyes S (*see* Sotelo et al). 2000;128:439-46
Riess JG (*see* Khalfoun et al). 2000;128:447-57
Ritch PS (*see* Ahrendt et al). 2000;128:520-30
Ritter JM (*see* Calhoun et al). 2000;128:76-85
Ritter JN, Sundaresan S, Patterson GA, Cooper JD, Mohanakumar, T. Evidence for cytotoxic T lymphocyte response against human lung cancer. 2000;128:76-85
Rivadeneira DE (*see* Weyant et al). 2000;128:145-52
Rivas J (*see* Gomez et al). 2000;128:494-6 (Letter)
Roberson J (*see* Feldman et al). 2000;128:93-8
Robinson TN (*see* Pomerantz et al). 2000;128:368-73
Rodriguez A (*see* Gomez et al). 2000;128:494-6 (Letter)
Rodriguez JL, Jacobs DM, Zera RT, Van Camp JM, Muehlstedt SG, West MA, Bubrick MP. Academic practice groups: strategy for survival. 2000;128:505-12
Rodriguez JL (*see* Hansen et al). 2000;128:572-8
Romero S (*see* Gomez et al). 2000;128:494-6 (Letter)
Rosen S (*see* Buell et al). 2000;128:686-93
Rosengart MR (*see* Arbabi et al). 2000;128:198-205

Ross MI (*see* Porter et al). 2000;128:306-11
Rossi HL, Ali A, Prinz RA. Intraoperative sestamibi scanning in reoperative parathyroidectomy. 2000;128:744-50
Rothmund M (see Bartsch et al). 2000;128:958-66
Rotstein OD (*see* Fan et al). 2000;128:332-8
Rowland C (*see* Kang et al). 2000;128:967-72
Roy S, Charboneau R, Melnyk B, Barke RA. Interleukin-4 regulates macrophage interleukin-12 protein synthesis through a c-fos mediated mechanism. 2000;128:219-24
Rubin JR (*see* Erzurum et al). 2000;128:253-6
Rubin M (*see* Michelassi et al). 2000;128:597-603
Rubino F, Pamoukian VN, Zhu JF, Deutsch H, Inabnet WB, Gagner M. Endoscopic endocrine neck surgery with carbon dioxide insufflation: the effect on intracranial pressure in a large animal model. 2000;128:1035-42
Ryu M (*see* Sugita et al). 2000;128:417-21

S

Saadia R (*see* Degiannis et al). 2000;128:54-8
Sabel MS, Gibbs JF, Cheney R, McKinley BP, Lee JS, Kraybill WG. Evolution of sentinel lymph node biopsy for melanoma at a National Cancer Institute-designated cancer center. 2000;128:556-63
Safa M (*see* Hungness et al). 2000;128:702-7
Sagazan HLM de (*see* Lokey et al). 2000;128:1029-34
Sakamoto Y, Nagai M, Tanaka N, Nobori M, Tsukamoto T, Nokubi M, Suzuki Y, Makuuchi M. Anatomical segmentectomy of the head of the pancreas along the embryological fusion plane: a feasible procedure? 2000;128:822-31
Sakorafas GH (*see* Gupta et al). 2000;128:641-9
Salmao DR (*see* Brink et al). 2000;128:881-7
Salmon H (*see* Khalfoun et al). 2000;128:447-57
Sano K (*see* Kubota et al). 2000;128:48-53
Sardi A (*see* Martin et al). 2000;128:139-44
Satake M (*see* Sugita et al). 2000;128:417-21
Satiani B. Stonisms. 2000;128:105-6
Sato T, Konishi F, Ueda K, Kashiwagi H, Kanazawa K, Nagai H. Physiological anorectal reconstruction with pudendal nerve anastomosis and a colonic S-pouch after abdominoperineal resection: report of 2 successful cases. 2000;128:116-20
Satoh S, Ikai I, Honda G, Okabe H, Takeyama O, Yamamoto Y, Yamamoto N, Iimuro Y, Shimahara Y, Yamaoka Y. Clinicopathologic evaluation of hepatocellular carcinoma with bile duct thrombi. 2000;128:779-83
Savek I (*see* Kologlu et al). 2000;128:99-104
Saxe AW (*see* Feldman et al). 2000;128:93-8
Sbar AO (*see* Kim et al). 2000;128:834-5
Schapira L. Surgical practice and decision making-is the patient's voice heard? 2000;128:862-4 (Commentary)
Schein M. See one, do one teach one. 2000;128:868-9
Scherr AM (*see* Stoner et al). 2000;128:240-5
Scheumann GFW (*see* Ellerkamp et al). 2000;128:999-1006
Scheumann GFW (*see* Musholt et al). 2000;128:984-93
Schicha H (*see* Moka et al). 2000;128:29-35
Schilling T (*see* Bartsch et al). 2000;128:958-66
Schindler NM (*see* Yao et al). 2000;128:604-12
Schrump DS (*see* Feingold et al). 2000;128:1103-10
Schuffenecker I (*see* Feldman et al). 2000;128:93-8
Schulman C (*see* Wright et al). 2000;128:259-65
Schulz D (*see* Musholt et al). 2000;128:984-93
Schüpfer G (*see* Metzger et al). 2000;128:870-1 (Letter)
Schwarts LM (*see* Woloshin and Schwartz). 2000;128:865-7
Schwartz LB (*see* Desai et al). 2000;128:717-25
Schweinfest CW (*see* Kelley et al). 2000;128:353-60
Scott DJ, Valentine RJ, Bergen PC, Rege RV, Laycock R, Tesfay ST, Jones DB. Evaluating surgical competency with the American Board of Surgery In-Training Examination, skill testing, and intraoperative assessment. 2000;128:613-22
Seabrook GR (*see* Leville et al). 2000;128:178-84
Seeskin C (*see* Hungness et al). 2000;128:702-7
Sellke FW (*see* Matsuda and Sellke). 2000;128:185-91
Service FJ (*see* Thompson et al). 2000;128:937-45
Seven R, Berber E, Mercan S, Eminoglu L, Budak D. Laparoscopic treatment of hepatic hydatid cysts. 2000;128:36-40
Shah JP (*see* Singh et al). 2000;128:888-94
Shaha AR (*see* Singh et al). 2000;128:888-94
Shatari T (*see* Niimi et al). 2000;128:910-7
Shaughnessy EA (*see* Hungness et al). 2000;128:702-7
Shawker TH (*see* Feingold et al). 2000;128:1103-10
Shek PN (*see* Fan et al). 2000;128:332-8
Shelley O (*see* Kell et al). 2000;128:159-64
Shi HP, Efron DT, Most D, Tantry US, Barbul A. Supplemental dietary arginine enhances wound healing in normal but not inducible nitric oxide synthase knockout mice. 2000;128:374-8
Shibakita M (*see* Kubota et al). 2000;128:41-7
Shimada H, Ochiai T, Okatumi SI, Matsubara H, Nabeya Y, Miyazawa Y, Arima M, Funami Y, Hayashi H, Takeda A, Gunji Y, Suzuki T, Kobayashi S. Clinical benefits of steroid therapy on surgical stress in patients with esophageal cancer. 2000;128:791-8
Shimahara Y (*see* Satoh et al). 2000;128:779-83
Shimata H (*see* Sugita et al). 2000;128:417-21
Shimizu Y (*see* Otomo et al). 2000;128:206-12
Shiraishi N (*see* Shiromizu et al). 2000;128:799-805
Shiromizu A, Suematsu T, Yamaguchi K, Shiraishi N, Adachi Y, Kitano S. Effect of laparotomy and laparoscopy on the establishment of lung metastasis in a murine model. 2000;128:799-805
Shoemaker JL Jr (*see* Zwemer et al). 2000;128:815-21
Shuhaiber JH. Prolonged preservation increases complications after pancreas transplants. 2000;128:872 (Letter)
Simms HH (*see* Leuenroth et al). 2000;128:171-7
Simonds WF (*see* Feingold et al). 2000;128:1103-10
Singer GG (*see* Wu et al). 2000;128:482-4
Singh B, Lim D, Cigudosa JC, Ghossein R, Shaha AR, Poluri A, Vreesmann VB, Tuttle M, Shah JP, Rao PH. Screening for genetic aberrations in papillary thyroid cancer by using comparative genomic hybridization. 2000;128:888-94
Siperstein AE (*see* Alsanea et al). 2000;128:1043-51
Siriwardena AK (*see* Beattie et al). 2000;128:496
Skarulis MC (*see* Feingold et al). 2000;128:1103-10
Skillman JJ (*see* Korn et al). 2000;128:472-9
Slusarczyk SJ (*see* McHenry and Slusarczky). 2000;128:994-8
Small W Jr (*see* Yao et al). 2000;128:604-12
Snow NJ (*see* Geha et al). 2000;128:623-30
Sobin LH (*see* Vauthey and Sobin). 2000;128:870 (Letter)
Soh EY, Eigelberger MS, Kim KJ, Wong MG, Young DM, Clark OH. Neutralizing vascular endothelial growth factor activity inhibits thyroid cancer growth in vivo. 2000;128:1059-66
Sollinger HW (*see* D'Alessandro et al). 2000;128:579-88
Song GY, Chung CS, Chaudry IH, Ayala A. IL-4-induced activation of the Stat6 pathway contributes to the suppression of cell-mediated immunity and death in sepsis. 2000;128:133-8
Sotelo J, Guevara P, Reyes S, Arrieta O. Interstitial quinacrine for elimination of abnormal tissue: therapy of experimental glioma. 2000;128:439-46
Spain DA (*see* Zhao et al). 2000;128:513-9
Srinivasan R (*see* Hawkins et al). 2000;128:173-80
Starcher BC (*see* Huffman et al). 2000;128:429-38
Starr FL, DeCresce R, Prinz RA. Normalization of intraoperative parathyroid hormone does not predict normal postoperative parathyroid hormone levels. 2000;128:930-6
Steele G Jr (*see* Stone et al). 2000;128:465-71
Stern LE, Huang F, Kemp CJ, Falcone FA Jr, Erwin CR, Warner BW. Bax is required for increased enterocyte apoptosis after massive small bowel resection. 2000;128:165-70
Stiller GD (*see* Weese et al). 2000;128:564-71
Stone MD, Doyle J, Bosch RJ, Bothe A Jr, Steele G Jr. Effect of resident call status on ABSITE performance. 2000;128:465-71
Stoner MC, Scherr AM, Lee JA, Wolfe KG, Kellum JM. Nitric oxide is a neurotransmitter in the chloride secretory response to serotonin in rat colon. 2000;128:240-5
Stuart SP (*see* Kaufman et al). 2000;128:726-37
Suematsu T (*see* Shiromizu et al). 2000;128:799-805

Sugimachi K (*see* Maehara et al). 2000;128:408-16
Sugita M, Ryu M, Satake M, Kinoshita T, Konishi M, Inoue K, Shimada H. Intrahepatic inflow areas of the drainage vein of the gallbladder: analysis by angio-CT. 2000;128:417-21
Sugo H, Mikami Y, Matsumoto F, Tsumura H, Watanabe Y, Futagawa S. Distal pancreatectomy using the harmonic scalpel. 2000;128:490-1
Summer WE III (*see* Porter et al). 2000;128:306-11
Sumpio BE (*see* Woo et al). 2000;128:59-66
Sundaresan S (*see* Calhoun et al). 2000;128:76-85
Suntres ZE (*see* Fan et al). 2000;128:332-8
Suzuki T (*see* Shimada et al). 2000;128:791-8
Suzuki Y (see Sakamoto et al). 2000;128:822-31
Sweeney JF (*see* Cowles et al). 2000;128:589-96

T

Tachibana M (*see* Kubota et al). 2000;128:41-7
Taheri PA (*see* Cowles et al). 2000;128:589-96
Takahashi Y, Geller DA, Gambotto A, Watkins SC, Fung JJ, Murase N. Adenovirus-mediated gene therapy to liver grafts: successful gene transfer by donor pretreatment. 2000;128:345-52
Takami H (*see* Alsanea et al). 2000;128:1043-51
Takami H (*see* Niimi et al). 2000;128:910-7
Takashina M (*see* Niimi et al). 2000;128:910-7
Takayama T (*see* Kubota et al). 2000;128:48-53
Takeda A (*see* Shimada et al). 2000;128:791-8
Takeuchi H (*see* Maehara et al). 2000;128:408-16
Takeyama O (*see* Satoh et al). 2000;128:779-83
Talamonti MS (*see* Yao et al). 2000;128:604-12
Talpos GB, Bone HG, Kleerekoper M, Phillips ER, Alam M, Honasoge M, Divine GW, Rao DS. Randomized trial of parathyroidectomy in mild asymptomatic primary hyperparathyroidism: patient description and effects on the SF-36 health survey. 2000;128:1013-21
Talpos GB (*see* Feldman et al). 2000;128:93-8
Tam SCF (*see* Lo et al). 2000;128:903-9
Tan P (*see* Erzurum et al). 2000;128:253-6
Tanaka N (*see* Sakamoto et al). 2000;128:822-31
Tansung T (*see* Bozda et al). 2000;128:109-10
Tantry US (*see* Shi et al). 2000;128:374-8
Tate PS (*see* Martin et al). 2000;128:139-44
Taylor K (*see* Alsanea et al). 2000;128:1043-51
Tearney GJ (*see* White et al). 2000;128:1088-1101
Tecklenborg K (*see* Frilling et al). 2000;128:1067-74
Tesfay ST (*see* Scott et al). 2000;128:613-22
Thompson GB (*see* Brink et al). 2000;128:881-7
Thompson GB, Service FJ, Andrews JC, Lloyd RV, Natt N, van Heerden JA, Grant CS. Noninsulinoma pancreatogenous hypoglycemia syndrome: an update in ten surgically treated patients. 2000;128:937-45
Thompson RW (*see* Huffman et al). 2000;128:429-38
Thorell A (*see* Ljungqvist et al). 2000;128:757-60
Thyagarajan P (*see* Erzurum et al). 2000;128:253-6
Timek TA, Lai DT, Dagum P, Green GR, Glasson JR, Daughters GT, Ingels NB Jr, Miller DC. Mitral annular dynamics during rapid atrial pacing. 2000;128:361-7
Tokunaga E (*see* Maehara et al). 2000;128:408-16
Tompkins RK. The power behind the chair. 2000;128:485
Tornos C (*see* O'Hea and Tornos). 2000;128:738-43
Torras J (*see* Jorba et al). 2000;128:111-2
Torrenga H (*see* Rahusen et al). 2000;128:6-12
Touchais O (*see* Le Blanc-Louvry et al). 2000;128:392-8
Towne JB (*see* Leville et al). 2000;128:178-84
Tradati N (*see* Chiesa et al). 2000;128:16-21
Treseler PA (*see* Alsanea et al). 2000;128:1043-51
Treseler PA (*see* Kebebew et al). 2000;128:952-7
Tsukamoto T (*see* Sakamoto et al). 2000;128:822-31
Tsumura H (*see* Sugo et al). 2000;128:490-1
Tu F (*see* Otomo et al). 2000;128:206-12
Turk PS (*see* Martin et al). 2000;128:139-44
Turnage RH (*see* Wright et al). 2000;128:259-65
Turnipseed WD, Hoch JR, Acher CW, Carr SC. Less invasive aortic surgery: the minilaparotomy technique. 2000;128:751-6
Tuttle M (*see* Singh et al). 2000;128:888-94
Tuttle TM (*see* Martin et al). 2000;128:139-44
Tzakis AG, De Faria W, Angelis M, Verzaro R, Pinna A. Partial abdominal exenteration, ex vivo resection of a large mesenteric fibroma and successful orthotopic intestinal autotransplantation. 2000;128:486-9

U

Ueda K (*see* Sato et al). 2000;128:116-20
Ugolini G, Potenti FM, Pricolo VE. Gastric outlet obstruction secondary to wandering spleen. 2000;128:480-1
Uguccioni M (*see* Goecke et al). 2000;128:806-14
Ulmer RH (*see* Myers et al). 2000;128:650-9
Uluç E (*see* Bozda et al). 2000;128:109-10
Urrutia R (*see* Hedin et al). 2000;128:1-5
Uy K (*see* Carter et al). 2000;128:458-64

V

Valentine RJ (*see* Scott et al). 2000;128:613-22
Van Camp JM (*see* Rodriguez et al). 2000;128:505-12
van Diest PJ (*see* Rahusen et al). 2000;128:6-12
van Eijck CHJ (*see* Berends et al). 2000;128:386-91
van Heerden JA. Can we reliably differentiate normal from abnormal parathyroid glands? (In the operating room? Eventually). 2000;128:1102 (Commentary)
van Heerden JA (*see* Brink et al). 2000;128:881-7
van Heerden JA (*see* Kang et al). 2000;128:967-72
van Heerden JA (*see* Thompson et al). 2000;128:937-45
van Muiswinkel JM (*see* Berends et al). 2000;128:386-91
VanHille P (*see* Lokey et al). 2000;128:1029-34
Vargish T (*see* Alverdy and Vargish). 2000;128:496 (Letter reply)
Varma DG (*see* Barnett et al). 2000;128:973-83
Vaughn C (*see* Zhao et al). 2000;128:513-9
Vauthey JN, Sobin LH. On the uniform use of the AJCC/UICC staging system for hepatocellular carcinoma. 2000;128:870 (Letter)
Vennekotter DJ (*see* Martin et al). 2000;128:139-44
Verzaro R (*see* Tzakis et al). 2000;128:486-9
von Flue M (*see* Metzger et al). 2000;128:870-1 (Letter)
Voth E (*see* Moka et al). 2000;128:29-35
Vournakis JN (*see* Kelley et al). 2000;128:353-60

W

Wachtel T (*see* Mor et al). 2000;128:847-61
Wada N (*see* Alsanea et al). 2000;128:1043-51
Walther MM (*see* Libutti et al). 2000;128:1022-8
Wambergue F (*see* Lokey et al). 2000;128:1029-34
Wang P (*see* Jarrar et al). 2000;128:246-52
Wang Y (*see* Kyriakides et al). 2000;128:327-31
Ward MD (*see* Carter and Ward). 2000;128:153-8
Ward MD (*see* Carter et al). 2000;128:458-64
Warner BW (*see* Stern et al). 2000;128:165-70
Warshauer DM (*see* Heider et al). 2000;128:107-8
Warshaw AL. Pancreas divisum-really. 2000;128:832-3
Wasiluk KR (*see* Weiss et al). 2000;128:339-44
Watanabe M (*see* Kubota et al). 2000;128:48-53
Watanabe Y (*see* Sugo et al). 2000;128:490-1
Watier H (*see* Khalfoun et al). 2000;128:447-57
Watkins SC (*see* Takahashi et al). 2000;128:345-52
Watson DK (*see* Kelley et al). 2000;128:353-60
Weese JL, Harbison SP, Stiller GD, Henry DH, Fisher SA. Neoadjuvant chemotherapy, radical resection with intraoperative radiation therapy (IORT): improved treatment for gastric adenocarcinoma. 2000;128:564-71
Weier HU (*see* Alsanea et al). 2000;128:1043-51

Weiss CA III, Wasiluk KR, Kellogg TA, Dunn DL. Bactericidal and endotoxin neutralizing activity of a peptide derived from Limulus antilipopolysaccharide factor. 2000;128:339-44
Wen M (see Buell et al). 2000;128:686-93
West MA (*see* Hansen et al). 572-8
West MA (*see* Rodriguez et al). 2000;128:505-12
Weyant MJ, Eachempati SR, Maluccio MA, Rivadeneira DE, Grobmyer SR, Hydo LJ, Barie PS. Interpretation of computed tomography does not correlate with laboratory or pathologic findings in surgically confirmed acute appendicitis. 2000;128:145-52
White WM, Tearney GJ, Pilch BZ, Fabian RI, Andeson RR, Gaz RD. A novel, noninvasive imaging technique for intraoperative assessment of parathyroid glands: confocal reflectance microscopy. 2000;128:1088-1101
Wild A (*see* Bartsch et al). 2000;128:958-66
Wild YK (*see* Luks et al). 2000;128:266-72
Wilson SD (*see* Ahrendt et al). 2000;128:520-30
Witsken C (*see* Gearhart et al). 2000;128:631-40
Witzke DB (*see* Park et al). 2000;128:660-7
Wolchok JD (*see* Hawkins et al). 2000;128:173-80
Wolf SE (*see* Hart et al). 2000;128:312-9
Wolfe LG (*see* Stoner et al). 2000;128:240-5
Wolfe RR (*see* Hart et al). 2000;128:312-9
Woloshin S, Schwartz LM. Early-stage breast cancer treatment for elderly women-does one size fit all? 2000;128:865-7 (Commentary)
Wong M (*see* Alsanea et al). 2000;128:1043-51
Wong MG (*see* Soh et al). 2000;128:1059-66
Wong SL (*see* Martin et al). 2000;128:139-44
Woo DK, Dudrick SJ, Sumpio BE. Homocysteine stimulates MAP kinase in bovine aortic smooth muscle cells. 2000;128:59-66
Wood KJ (*see* Niimi et al). 2000;128:910-7
Wreesmann VB (*see* Singh et al). 2000;128:888-94
Wright K, Nwariaku F, Halaihel N, Schulman C, Yin HL, Turnage RH. Burn-activated neutrophils and tumor necrosis factor alter endothelial cell actin cytoskeleton and enhance monolayer permeability. 2000;128:259-65
Wu JS, Ahya SN, Reploeg MD, Singer GG, Brennan DC, Howard TK, Lowell JA. Pheochromocytoma presenting as a giant cystic tumor of the liver. 2000;128:482-4

**Y**

Yamaguchi K (*see* Shiromizu et al). 2000;128:799-805
Yamamoto N (*see* Satoh et al). 2000;128:779-83
Yamamoto Y (*see* Satoh et al). 2000;128:779-83
Yamaoka Y (*see* Satoh et al). 2000;128:779-83
Yang J (*see* Jaffray et al). 2000;128:225-31
Yao KA, Talamonti MS, Langella RL, Schindler NM, Rao S, Small W Jr, Joehl RJ. Primary gastrointestinal sarcomas: analysis of prognostic factors and results of surgical management. 3000;128:604-12
Yassin RS (*see* Hungness et al). 2000;128:702-7
Yin HL (*see* Wright et al). 2000;128:259-65
Yorganci K (*see* Kologlu et al). 2000;128:99-104
Yoshida A (*see* Buell et al). 2000;128:686-93
Yoshimi SK (*see* Maa et al). 2000;128:232-9
Young DM (*see* Soh et al). 2000;128:1059-66
Yu S (*see* Otomo et al). 2000;128:206-12

**Z**

Zalar A (*see* Le Blanc-Louvry et al). 2000;128:392-8
Zapas JL (*see* Karakozis et al). 2000;128:113-5
Zbar B (*see* Libutti et al). 2000;128:1022-8
Zehnbauer BA (*see* Freeman et al). 2000;128:281-5
Zera RT (*see* Rodriguez et al). 2000;128:505-12
Zhao H, Spain DA, Matheson PJ, Vaughn C, Harris PD, Garrison RN. Sustained infection induces 2 distinct microvascular mechanisms in the splanchnic circulation. 2000;128:513-9
Zhu JF (*see* Rubino et al). 2000;128:1035-42
Zhu YR (*see* Ahrendt et al). 2000;128:520-30
Zimmerman D (*see* Brink et al). 2000;128:881-7
Zimmermann A (*see* Goecke et al). 2000;128:806-14
Zwemer CF, Shoemaker JL Jr, Hazard SW III, Davis RE, Bartoletti AG, Philli¡¸s CL. Hyperoxic reperfusion exacerbates postischemic renal dysfunction. 2000;128:815-21

# Index to volume 128

## SUBJECT INDEX*

### A


**Abdominal injuries**
Abdominal vena caval injuries: outcomes remain dismal (Hansen et al). 2000;128:572-8

**Academic medical centers**
Academic practice groups: strategy for survival (Rodriguez et al). 2000;128:505-12

**Acetylcholine**
Sustained infection induces 2 distinct microvascular mechanisms in the splanchnic circulation (Zhao et al). 2000;128:513-9

**Acetylcysteine**
Liposomal antioxidants provide prolonged protection against acute respiratory distress syndrome (Fan et al). 2000;128:332-8

**Addison's disease**
A murine model of allogeneic adrenocortical cell transplantation: perspectives for the treatment of Addison's disease in humans (Ellerkamp et al). 2000;128:999-1006

**Adenocarcinoma**
Evidence for cytotoxic T lymphocyte response against human lung cancer: reconstitution of antigenic epitope with peptide eluted from lung adenocarcinoma MHC class 1 (Calhoun et al). 2000;128:76-85
Granular cell tumors of the biliary tree (Karakozis et al). 2000;128:113-5
Neoadjuvant chemotherapy, radical resection with intraoperative radiation therapy (IORT): improved treatment for gastric adenocarcinoma (Weese et al). 2000;128:564-71

**Adenoma**
The role of frozen section, gender, age and tumor size in the differentiation of follicular adenoma from carcinoma: a meta-analysis (Miltenburg et al). 2000;128:1075-81
Safety and long-term efficacy of transduodenal excision for tumors of the ampulla of Vater (Posner et al). 2000;128:694-701

**Adenoviridae**
Adenovirus-mediated gene therapy to liver grafts: successful gene transfer by donor pretreatment (Takahashi et al). 2000;128:345-52
The cancer-associated Sm-like oncogene: a novel target for the gene therapy of pancreatic cancer (Kelley et al). 2000;128:353-60

**Adhesions**
Seprafilm reduces adhesions to polypropylene mesh (Baptista et al). 2000;128:86-92

**Adrenal cortex**
A murine model of allogeneic adrenocortical cell transplantation: perspectives for the treatment of Addison's disease in humans (Ellerkamp et al). 2000;128:999-1006

**Adrenal cortex neoplasms**
Limitations of size as a criterion in the evaluation of adrenal tumors (Barnett et al). 2000;128:973-83

**Adrenal gland neoplasms**
Limitations of size as a criterion in the evaluation of adrenal tumors (Barnett et al). 2000;128:973-83
Management of incidentally discovered adrenal masses and risk of malignancy (Favia et al). 2000;128:918-24

**Ageism; see Prejudice**


*July, pp.1-122; August, pp. 123-378; September, pp. 379-496; October, part 1, pp. 497-756, part 2, pp. S1-S30; November, pp. 757-872; December, pp. 873-1132.


**Anastomosis, Roux-en-Y**
Long-term results of surgical repair of bile duct injuries following laparoscopic cholecystectomy (Johnson et al). 2000;128:668-77

**Anastomosis, surgical**
Effect of local and remote ischemia-reperfusion injury on healing of colonic anastomoses (Kologlu et al). 2000;128:99-104
Physiological anorectal reconstruction with pudendal nerve anastomosis and a colonic S-pouch after abdominoperineal resection: report of 2 successful cases (Sato et al). 2000;128:116-20
Successful hepatic vein reconstruction in 42 consecutive living related liver transplantations (Kubota et al). 2000;128:48-53

**Angiogenesis; see Neovascularization, pathologic**

**Angiography**
Intrahepatic inflow areas of the drainage vein of the gallbladder: analysis by angio-CT (Sugita et al). 2000;128:417-21
Transmediastinal gunshot injuries (Degiannis et al). 2000;128:54-8

**Angioplasty**
Angioplasty does not affect subsequent operative renal artery revascularization (Desai et al). 2000;128:717-25

**Antibiotic prophylaxis**
Current trends in antibiotic prophylaxis in surgery. 2000;128:S14-S18

**Antibiotics**
Deliberations on the risks and antibiotic management of surgical infections: preface (Nichols and Martone). 2000;128:S1

**Antigens, CD95**
A central role for CD95 (Fas) in T-cell reactivity after injury (Kell et al). 2000;128:159-64

**Antigens, heterophil**
Immunization with DNA coding for gp100 results in CD4+ T-cell independent antitumor immunity (Hawkins et al). 2000;128:173-80

**Antioxidants**
Liposomal antioxidants provide prolonged protection against acute respiratory distress syndrome (Fan et al). 2000;128:332-8

**Anus**
Physiological anorectal reconstruction with pudendal nerve anastomosis and a colonic S-pouch after abdominoperineal resection: report of 2 successful cases (Sato et al). 2000;128:116-20
Surgical treatment of Surgical treatment of anorectal complications in Crohn's disease (Michelassi et al). 2000;128:597-603

**Aortic aneurysm, abdominal**
Functional importance of connective tissue repair during the development-of experimental abdominal aortic aneurysms (Huffman et al). 2000;128:429-38
Less invasive aortic surgery: the minilaparotomy technique (Turnipseed et al). 2000;128:751-6

**Aortic diseases**
Less invasive aortic surgery: the minilaparotomy technique (Turnipseed et al). 2000;128:751-6

**Apoptosis**
All-trans-retinoic acid decreases cell proliferation and increases apoptosis in an animal model of vein bypass grafting (Leville et al). 2000;128:178-84
Bax is required for increased enterocyte apoptosis after massive small bowel resection (Stern et al). 2000;128:165-70
Suppression of PMN apoptosis by hypoxia is dependent upon Mcl-1 and MAPK activity (Leuenroth et al). 2000;128:171-7

**Appendicitis**
Interpretation of computed tomography does not correlate with laboratory

**Arginine**
Supplemental dietary arginine enhances wound healing in normal but not inducible nitric oxide synthase knockout mice (Shi et al). 2000;128:374-8

**Atrial function**
Mitral annular dynamics during rapid atrial pacing (Timek et al). 2000;128:361-7

B

**Barium sulfate**
Severe dysphagia after laparoscopic fundoplication: usefulness of barium meal examination to identify causes other than tight fundoplication (Le Blanc-Louvry et al). 2000;128:392-8
**Base sequence**
Strategy for identification of novel transporter family members by using Internet-based genomic databases (Phay et al). 2000;128:946-51
**Bile duct neoplasms**
Bile duct carcinogenesis after excision of extrahepatic bile ducts in pancreaticobiliary malfunction (Ng). 2000;128:492-4 (Letter)
Bile duct carcinogenesis after excision of extrahepatic bile ducts in pancreaticobiliary malfunction (Kobayashi et al). 2000;128:494 (Letter reply)
**Bile ducts**
Long-term results of surgical repair of bile duct injuries following laparoscopic cholecystectomy (Johnson et al). 2000;128:668-77
**Biliary tract**
Granular cell tumors of the biliary tree (Karakozis et al). 2000;128:113-5
**Biliary tract neoplasms**
Hepatic resection: effective treatment for primary and secondary tumors (Buell et al). 2000;128:686-93
**Biopsy**
Evolution of sentinel lymph node biopsy for melanoma at a National Cancer Institute-designated cancer center (Sabel et al). 2000;128:556-63
How many lymph nodes are enough during sentinel lymphadenectomy for primary melanoma (Porter et al). 2000;128:306-11
The implementation of the sentinel node biopsy as a routine procedure for patients with breast cancer (Rahusen et al). 2000;128:6-12
Is there a role for sentinel node biopsy in early N0 tongue tumors? (Chiesa et al). 2000;128:16-21
Sentinel node biopsy: comment on techniques (Cady and Chung). 2000;128:13-5 (Commentary)
**Biopsy, needle**
Mild ductal atypia after large-core needle biopsy of the breast: is surgical excision always necessary (O'Hea and Tornos). 2000;128:738-43
**Bombesin**
Nitric oxide synthase inhibition negates bombesin-induced gastroprotection (Castañeda et al). 2000;128:422-8
**Breast neoplasms**
Bilateral synchronous breast cancer: mode of detection and comparison of histologic features between the 2 breasts (Hungness et al). 2000;128:702-7
Early-stage breast cancer treatment for elderly women-does one size fit all (Woloshin and Schwartz). 2000;128:865-7 (Commentary)
HER2 regulatory control of angiopoietin-2 in breast cancer (Carter and Ward). 2000;128:153-8
Impact of breast cancer treatment guidelines on surgeon practice patterns: results of a hospital-based intervention (Mor et al). 2000;128:847-61
The implementation of the sentinel node biopsy as a routine procedure for patients with breast cancer (Rahusen et al). 2000;128:6-12
Mild ductal atypia after large-core needle biopsy of the breast: is surgical excision always necessary (O'Hea and Tornos). 2000;128:738-43
Practical guidelines for optimal gamma probe detection of sentinel lymph nodes in breast cancer: results of a multi-institutional study (Martin et al). 2000;128:139-44
Surgical practice and decision making-is the patient's voice heard (Schapira). 2000;128:862-4 (Commentary)
**Breasts**
Bilateral synchronous breast cancer: mode of detection and comparison of histologic features between the 2 breasts (Hungness et al). 2000;128:702-7
**Burns**
Burn-activated neutrophils and tumor necrosis factor-alter endothelial cell actin cytoskeleton and enhance monolayer permeability (Wright et al). 2000;128:259-65
Persistence of muscle catabolism after severe burns (Hart et al). 2000;128:312-9

C

**Ca(2+)-calmodulin dependent protein kinase**
The effect of protein kinase C and its alpha subtype on human vascular smooth muscle cell proliferation, migration, and fibronectin production (Okazaki et al). 2000;128:192-7
Homocysteine stimulates MAP kinase in bovine aortic smooth muscle cells (Woo et al). 2000;128:59-66
**Calciphylaxis**
Is calciphylaxis best treated surgically or medically (Kang et al). 2000;128:967-72
**Calcium**
Value of intra-arterial calcium stimulated venous sampling for regionalization of pancreatic insulinomas (Lo et al). 2000;128:903-9
**Cancer vaccines**
Immunization with DNA coding for gp100 results in CD4+ T-cell independent antitumor immunity (Hawkins et al). 2000;128:173-80
**Capillary permeability**
Endothelial selectin blockade attenuates lung permeability of experimental acid aspiration (Kyriakides et al). 2000;128:327-31
**Carbon dioxide**
Endoscopic endocrine neck surgery with carbon dioxide insufflation: the effect on intracranial pressure in a large animal model (Rubino et al). 2000;128:1035-42
**Carcinoma**
Is familial non-medullary thyroid carcinoma more aggressive than sporadic thyroid cancer: a multicenter series (Alsanea et al). 2000;128:1043-51
Value of preoperative diagnostic modalities in patients with recurrent thyroid carcinoma (Frilling et al). 2000;128:1067-74
**Carcinoma, hepatocellular**
Clinicopathologic evaluation of hepatocellular carcinoma with bile duct thrombi (Satoh et al). 2000;128:779-83
On the uniform use of the AJCC/UICC staging system for hepatocellular carcinoma (Vauthey and Sobin). 2000;128:870 (Letter)
**Carcinoma, medullary**
Update on the MEN 2A c804 RET mutation: is prophylactic thyroidectomy indicated (Frohnauer and Decker). 2000;128:1052-8
Variable expressivity of familial medullary thyroid carcinoma (FMTC) due to a RET V804M (GTG ATG) mutation (Feldman et al). 2000;128:93-8
**Carcinoma, papillary**
Papillary thyroid cancer with pulmonary metastases in children: long term prognosis (Brink et al). 2000;128:881-7
Prognostic significance of RET and NTRKI rearrangements in sporadic papillary thyroid carcinoma (Musholt et al). 2000;128:984-93
Screening for genetic aberrations in papillary thyroid cancer by using comparative genomic hybridization (Singh et al). 2000;128:888-94
**Carcinoma, papillary, follicular**
The role of frozen section, gender, age and tumor size in the differentiation of follicular adenoma from carcinoma: a meta-analysis (Miltenburg et al). 2000;128:1075-81
**Cardioplegic solutions**
Regulation of coronary myoplasmic Ca 2+-myosin light chain phosphorylation pathway and vasomotor tone: hyperpolarizing versus depolarizing cardioplegia (Matsuda and Sellke). 2000;128:185-91
**Cardiopulmonary bypass**
Clinical outcomes and resource usage in 100 consecutive

patients after off-pump coronary bypass procedures (Lee et al). 2000;128:548-55

**Cardiovascular diseases**
Left ventricular systolic and diastolic function and exercise testing in primary hyperparathyroidism-effects of parathyroidectomy (Nilsson et al). 2000;128:895-902

**Career choice**
What influences medical students' choice of surgical careers (Erzurum et al). 2000;128:253-6
What influences medical students' choice of surgical careers-a critical appraisal (Nussbaum). 2000;128:257-8 (Editorial)

**Chemokines**
Macrophages infiltrating the tissue in chronic pancreatitis express the chemokine receptor CCR5 (Goecke et al). 2000;128:806-14

**Chemotherapy, adjuvant**
Neoadjuvant chemotherapy, radical resection with intraoperative radiation therapy (IORT): improved treatment for gastric adenocarcinoma (Weese et al). 2000;128:564-71
p21WAF-1 expression is associated with improved survival after adjuvant chemoradiation for pancreatic cancer (Ahrendt et al). 2000;128:520-30

**Chlorides**
Nitric oxide is a neurotransmitter in the chloride secretory response to serotonin in rat colon (Stoner et al). 2000;128:240-5

**Cholecystectomy, laparoscopic**
Long-term results of surgical repair of bile duct injuries following laparoscopic cholecystectomy (Johnson et al). 2000;128:668-77

**Choledochal cyst**
Bile duct carcinogenesis after excision of extrahepatic bile ducts in pancreaticobiliary malfunction (Ng). 2000;128:492-4 (Letter)
Bile duct carcinogenesis after excision of extrahepatic bile ducts in pancreaticobiliary malfunction (Kobayashi et al). 2000;128:494 (Letter reply)

**Cholelithiasis**
Management of biliary tract disease in heart and lung transplant patients (Gupta et al). 2000;128:641-9

**Cholestasis**
Clinicopathologic evaluation of hepatocellular carcinoma with bile duct thrombi (Satoh et al). 2000;128:779-83

**Chyloperitoneum**
Chylous ascites: a collective review (Aalami et al). 2000;128:761-78

**Clinical competence**
Evaluating surgical competency with the American Board of Surgery In-Training Examination, skill testing, and intraoperative assessment (Scott et al). 2000;128:613-22

**Cognition**
Effect of resident call status on ABSITE performance (Stone et al). 2000;128:465-71

**Colon**
Effect of local and remote ischemia-reperfusion injury on healing of colonic anastomoses (Kologlu et al). 2000;128:99-104

**Colorectal neoplasms**
Hepatic resection: effective treatment for primary and secondary tumors (Buell et al). 2000;128:686-93

**Colorectal surgery**
Physiological anorectal reconstruction with pudendal nerve anastomosis and a colonic S-pouch after abdominoperineal resection: report of 2 successful cases (Sato et al). 2000;128:116-20

**Connective tissue**
Functional importance of connective tissue repair during the development-of experimental abdominal aortic aneurysms (Huffman et al). 2000;128:429-38

**Coronary artery bypass**
All-artery multigraft coronary artery bypass grafting with only internal thoracic arteries possible and safe: a randomized trial (Myers et al). 2000;128:650-9
All-trans-retinoic acid decreases cell proliferation and increases apoptosis in an animal model of vein bypass grafting (Leville et al). 2000;128:178-84
Clinical outcomes and resource usage in 100 consecutive patients after off-pump coronary bypass procedures (Lee et al). 2000;128:548-55

**Crohn disease**
Surgical treatment of Surgical treatment of anorectal complications in Crohn's disease (Michelassi et al). 2000;128:597-603

**Cyclooxygenase; see Prostaglandin-endoperoxide synthase**

**Cyclosporine**
Beneficial effects of dietary magnesium and potassium on cardiac and renal morphologic features in cyclosporin A-induced damage in spontaneously hypertensive rats (Pere et al). 2000;128:67-75

**Cytochrome P-450**
Cytochrome P450 polymorphisms are associated with reduced warfarin dose (Freeman et al). 2000;128:281-5

**D**

**Debridement**
Laparoscopic intracavitary debridement of peripancreatic necrosis (Beattie et al). 2000;128:496 (Letter)
Laparoscopic intracavitary debridement of peripancreatic necrosis (Alverdy and Vargish). 2000;128:496 (Letter reply)

**Decision making**
Surgical practice and decision making-is the patient's voice heard (Schapira). 2000;128:862-4 (Commentary)

**Delivery of health care**
Academic practice groups: strategy for survival (Rodriguez et al). 2000;128:505-12
Presidential address: dead wrong-thinking about.. thinking about.. health care (Fischer). 2000;128:497-504

**Diabetes mellitus**
Predictors of health after revascularization for extremity ischemia (Nackman et al). 2000;128:293-300

**Drainage**
Simultaneous pancreas-kidney transplantation in the mycophenolate mofetil/tacrolimus era: evolution from induction therapy with bladder drainage to noninduction therapy with enteric drainage (Kaufman et al). 2000;128:726-37

**Duodenal neoplasms**
Pancreaticoduodenal endocrine tumors in multiple endocrine neoplasia type 1: surgery or surveillance (Bartsch et al). 2000;128:958-66

**Dysphagia**
Severe dysphagia after laparoscopic fundoplication: usefulness of barium meal examination to identify causes other than tight fundoplication (Le Blanc-Louvry et al). 2000;128:392-8

**E**

**Echinococcosis**
Alveolar echinococcosis of the pancreas (Bozda et al). 2000;128:109-10
Laparoscopic treatment of hepatic hydatid cysts (Seven et al). 2000;128:36-40

**Elastase; see Pancreatopeptidase**

**Embolization, therapeutic**
Dynamic helical computed tomography scan accurately detects hemorrhage in patients with pelvic fracture (Pereira et al). 2000;128:678-85

**Endocrine neoplasia type 1**
Pancreaticoduodenal endocrine tumors in multiple endocrine neoplasia type 1: surgery or surveillance (Bartsch et al). 2000;128:958-66

**Endocrine surgical procedures**
Presidential address: interdisciplinary care-the future of endocrine surgery (Harness). 2000;128:873-80

**Endoscopy, gastrointestinal**
Impact of screening survey of gastric cancer on clinicopathological features and survival: retrospective study at a single institution (Kubota et al). 2000;128:41-7

**Endothelial cells**
Burn-activated neutrophils and tumor necrosis factor-alter endothelial cell actin cytoskeleton and enhance monolayer permeability (Wright et al). 2000;128:259-65

**Endothelial growth factors**
Neutralizing vascular endothelial growth factor activity inhibits thyroid cancer growth in vivo (Soh et al). 2000;128:1059-66
Parathyroid-induced angiogenesis is VEGF-dependent (Carter et al). 2000;128:458-64
**Endothelin-1**
Endothelin receptor blockade in severe acute pancreatitis leads to systemic enhancement of microcirculation, stabilization of capillary permeability, and improved survival rates (Foitzik et al). 2000;128:399-407
**Enteral nutrition**
Small bowel necrosis in association with early postoperative enteral feeding after pancreatic resection (Jorba et al). 2000;128:111-2
**Epithelial cells**
Bax is required for increased enterocyte apoptosis after massive small bowel resection (Stern et al). 2000;128:165-70
**Epoprostenol**
Hypertonic saline solution induces prostacyclin production by increasing cyclooxygenase-2 expression (Arbabi et al). 2000;128:198-205
**Equipment and supplies**
The role of surrogate outcome measures in evaluating medical devices (DeMets). 2000;128:379-85
**Esophageal neoplasms**
Clinical benefits of steroid therapy on surgical stress in patients with esophageal cancer (Shimada et al). 2000;128:791-8
**Esophagus**
Transmediastinal gunshot injuries (Degiannis et al). 2000;128:54-8
**Estradiol**
Insight into the mechanism by which estradiol improves organ functions after trauma-hemorrhage (Jarrar et al). 2000;128:246-52
**Exercise test**
Left ventricular systolic and diastolic function and exercise testing in primary hyperparathyroidism-effects of parathyroidectomy (Nilsson et al). 2000;128:895-902
**Extremities**
Is lower extremity revascularization worthwhile in patient's with end-stage renal disease (Korn et al). 2000;128:472-9
Predictors of health after revascularization for extremity ischemia (Nackman et al). 2000;128:293-300

**F**

**Factor V**
Mesenteric arterial thrombosis due to activated protein C resistance (factor V Leiden) (Gomez et al). 2000;128:494-6 (Letter)
**Fibroma**
Partial abdominal exenteration, ex vivo resection of a large mesenteric fibroma and successful orthotopic intestinal autotransplantation (Tzakis et al). 2000;128:486-9
**Fos genes; see Genes, fos**
**Frozen sections**
The role of frozen section, gender, age and tumor size in the differentiation of follicular adenoma from carcinoma: a meta-analysis (Miltenburg et al). 2000;128:1075-81
**Fundoplication**
Severe dysphagia after laparoscopic fundoplication: usefulness of barium meal examination to identify causes other than tight fundoplication (Le Blanc-Louvry et al). 2000;128:392-8

**G**

**Gallbladder emptying**
Intrahepatic inflow areas of the drainage vein of the gallbladder: analysis by angio-CT (Sugita et al). 2000;128:417-21
**Gastric outlet obstruction**
Gastric outlet obstruction secondary to wandering spleen (Ugolini et al). 2000;128:480-1
**Gastrins**
Nitric oxide synthase inhibition negates bombesin-induced gastroprotection (Castañeda et al). 2000;128:422-8
**Gastroesophageal reflux**
A 32-year experience in 100 patients with giant paraesophageal hernia: the case for abdominal approach and selective antireflux repair (Geha et al). 2000;128:623-30
**Gastrointestinal hemorrhage**
Inverted Meckel's diverticulum as a source of chronic gastrointestinal blood loss (Heider et al). 2000;128:107-8
**Gastrointestinal neoplasms**
Primary gastrointestinal sarcomas: analysis of prognostic factors and results of surgical management (Yao et al). 3000;128:604-12
**Gene therapy**
The cancer-associated Sm-like oncogene: a novel target for the gene therapy of pancreatic cancer (Kelley et al). 2000;128:353-60
**Gene transfer**
Adenovirus-mediated gene therapy to liver grafts: successful gene transfer by donor pretreatment (Takahashi et al). 2000;128:345-52
**Genes, fos**
Interleukin-4 regulates macrophage interleukin-12 protein synthesis through a c-fos mediated mechanism (Roy et al). 2000;128:219-24
**Genetic screening**
Screening for genetic aberrations in papillary thyroid cancer by using comparative genomic hybridization (Singh et al). 2000;128:888-94
**Genetic vectors**
Adenovirus-mediated gene therapy to liver grafts: successful gene transfer by donor pretreatment (Takahashi et al). 2000;128:345-52
The cancer-associated Sm-like oncogene: a novel target for the gene therapy of pancreatic cancer (Kelley et al). 2000;128:353-60
**Glioma**
Interstitial quinacrine for elimination of abnormal tissue; therapy of experimental glioma (Sotelo et al). 2000;128:439-46
**Graft rejection**
Development of an ex vivo model of pig kidney perfused with human lymphocytes: analysis of xenogeneic cellular reactions (Khalfoun et al). 2000;128:447-57
**Granular cell tumors; see Adenocarcinoma**
**Group practice**
Academic practice groups: strategy for survival (Rodriguez et al). 2000;128:505-12
**Guidelines:Se Practice guidelines**

**H**

**Health care delivery; see Delivery of health care**
**Heart arrest, induced**
Regulation of coronary myoplasmic Ca 2+-myosin light chain phosphorylation pathway and vasomotor tone: hyperpolarizing versus depolarizing cardioplegia (Matsuda and Sellke). 2000;128:185-91
**Heart-lung transplantation**
Management of biliary tract disease in heart and lung transplant patients (Gupta et al). 2000;128:641-9
**Heart transplantation**
Intrathymic alloantigen-mediated, tolerant, completely major histocompatibility complex-mismatched mouse hearts are specifically rejected by adoptively transferred anti-class I Ld+-specific 2C cells. (Otomo et al). 2000;128:206-12
Management of biliary tract disease in heart and lung transplant patients (Gupta et al). 2000;128:641-9
**Heat shock proteins**
The macromolecular associations of heat shock protein-27 in vascular smooth muscle (Brophy et al). 2000;128:320-6
**Helix-loop-helix motifs**
The helix-loop-helix transcription factor, Idl, is overexpressed in medullary thyroid cancer (Kebebew et al). 2000;128:952-7

**Heme oxygenase (Decyclizing)**
Overexpression of heme oxygenase-1 protects allogeneic thyroid grafts from rejection in naive mice (Niimi et al). 2000;128:910-7
**Hemorrhage**
Dynamic helical computed tomography scan accurately detects hemorrhage in patients with pelvic fracture (Pereira et al). 2000;128:678-85
Insight into the mechanism by which estradiol improves organ functions after trauma-hemorrhage (Jarrar et al). 2000;128:246-52
**Hepatic veins**
Successful hepatic vein reconstruction in 42 consecutive living related liver transplantations (Kubota et al). 2000;128:4853
**Hernia, diaphragmatic**
Short-term tracheal occlusion corrects pulmonary vascular anomalies in the fetal lamb with diaphragmatic hernia (Luks et al). 2000;128:266-72
**Hernia, hiatal**
A 32-year experience in 100 patients with giant paraesophageal hernia: the case for abdominal approach and selective antireflux repair (Geha et al). 2000;128:623-30
Laparoscopic repair of chronic intrathoracic gastric volvulus (Katkhouda et al). 2000;128:784-90
**Hernia, inguinal**
Lichtenstein or plug-and-mesh in inguinal hernia repair (Metzger et al). 2000;128:870-1 (Letter)
Lichtenstein or plug-and-mesh in inguinal hernia repair (Kingsnorth). 2000;128:871 (Letter reply)
**Hippel-Lindau disease**
Clinical and genetic analysis of patients with pancreatic neuroendocrine tumors associated with von Hippel-Lindau disease (Libutti et al). 2000;128:1022-8
Pheochromocytoma: inherited associations, bilaterality, and cortex preservation (Inabnet et al). 2000;128:1007-12
**History of medicine**
Stonisms (Satiani). 2000;128:105-6
**Homocysteine**
Homocysteine stimulates MAP kinase in bovine aortic smooth muscle cells (Woo et al). 2000;128:59-66
**Horseshoe crabs**
Bactericidal and endotoxin neutralizing activity of a peptide derived from Limulus antilipopolysaccharide factor (Weiss et al). 2000;128:339-44
**Hospitals, teaching**
Does the participation of a surgical trainee adversely impact patient outcomes: a study of major pancreatic resections in California (Hutter et al). 2000;128:286-92
**Hydatid cysts; see Echinococcosis**
**Hyperinsulinemia**
Noninsulinoma pancreatogenous hypoglycemia syndrome: an update in ten surgically treated patients (Thompson et al). 2000;128:937-45
**Hyperparathyroidism**
Intraoperative decay profile of intact (1-84) parathyroid hormone in surgery for renal hyperparathyroidism: a consecutive series of 80 patients (Lokey et al).2000;128:1029-34
Is calciphylaxis best treated surgically or medically (Kang et al). 2000;128:967-72
Left ventricular systolic and diastolic function and exercise testing in primary hyperparathyroidism-effects of parathyroidectomy (Nilsson et al). 2000;128:895-902
Normalization of intraoperative parathyroid hormone does not predict normal postoperative parathyroid hormone levels (Starr et al). 2000;128:930-6
A prospective surgical outcome study assessing the impact of parathyroidectomy on symptoms in patients with secondary and tertiary hyperparathyroidism (Pasieka and Parson). 2000;128:531-9
Randomized trial of parathyroidectomy in mild asymptomatic primary hyperparathyroidism: patient description and effects on the SF-36 health survey (Talpos et al). 2000;128:1013-21
Video-assisted versus conventional parathyroidectomy in primary hyperparathyroidism (Ng). 2000;128:120 (Letter)
Video-assisted versus conventional parathyroidectomy in primary hyperparathyroidism (Miccoli). 2000;128:120 (Letter reply)
**Hyperparathyroidism, secondary**
Sestamibi/iodine subtraction single photon emission computed tomography in reoperative secondary hyperparathyroidism (Neumann et al). 2000;128:22-8
**Hypertension**
Beneficial effects of dietary magnesium and potassium on cardiac and renal morphologic features in cyclosporin A-induced damage in spontaneously hypertensive rats (Pere et al). 2000;128:67-75
**Hypertension, portal**
Surgical shunts and tips for variceal decompression in the 1990s (Henderson et al). 2000;128:540-7
**Hypoglycemia**
Noninsulinoma pancreatogenous hypoglycemia syndrome: an update in ten surgically treated patients (Thompson et al). 2000;128:937-45
**Hypothyroidism**
Hypothyroidism following hemithyroidectomy: incidence, risk factors and management (McHenry and Slusarczyk). 2000;128:994-8
**Hypoxia**
Suppression of PMN apoptosis by hypoxia is dependent upon Mcl-1 and MAPK activity (Leuenroth et al). 2000;128:171-7

I

**Images in surgery**
Alveolar echinococcosis of the pancreas (Bozda et al). 2000;128:109-10
Gastric outlet obstruction secondary to wandering spleen (Ugolini et al). 2000;128:480-1
Intra-abdominal cystic lymphangioma (Kim et al). 2000;128:834-5
Inverted Meckel's diverticulum as a source of chronic gastrointestinal blood loss (Heider et al). 2000;128:107-8
Pancreas divisum-really (Warshaw). 2000;128:832-3
Pheochromocytoma presenting as a giant cystic tumor of the liver (Wu et al). 2000;128:482-4
Small bowel necrosis in association with early postoperative enteral feeding after pancreatic resection (Jorba et al). 2000;128:111-2
Stonisms (Satiani). 2000;128:105-6
**Immunity, cellular**
IL-4-induced activation of the Stat6 pathway contributes to the suppression of cell-mediated immunity and death in sepsis (Song et al). 2000;128:133-8
**Injuries; see Wounds and injuries**
**Insufflation**
Endoscopic endocrine neck surgery with carbon dioxide insufflation: the effect on intracranial pressure in a large animal model (Rubino et al). 2000;128:1035-42
**Insulin resistance**
Insulin resistance and elective surgery (Ljungqvist et al). 2000;128:757-60
**Insulinoma**
Laparoscopic detection and resection of insulinomas (Berends et al). 2000;128:386-91
Value of intra-arterial calcium stimulated venous sampling for regionalization of pancreatic insulinomas (Lo et al). 2000;128:903-9
**Interferon type II**
Microsatellite marker of interferon-gamma receptor 1 gene correlates with infection following major trauma (Davis et al). 2000;128:301-5
**Interleukin-12**
Interleukin-4 regulates macrophage interleukin-12 protein synthesis through a c-fos mediated mechanism (Roy et al). 2000;128:219-24
**Interleukin-4**
IL-4-induced activation of the Stat6 pathway contributes to the suppression of cell-mediated immunity and death in sepsis (Song et al). 2000;128:133-8

Interleukin-4 regulates macrophage interleukin-12 protein synthesis through a c-fos mediated mechanism (Roy et al). 2000;128:219-24

**Internship and residency**
Does the participation of a surgical trainee adversely impact patient outcomes: a study of major pancreatic resections in California (Hutter et al). 2000;128:286-92
Effect of resident call status on ABSITE performance (Stone et al). 2000;128:465-71
See one, do one teach one (Schein). 2000;128:868-9

**Intestinal neoplasms**
Partial abdominal exenteration, ex vivo resection of a large mesenteric fibroma and successful orthotopic intestinal autotransplantation (Tzakis et al). 2000;128:486-9
Primary gastrointestinal sarcomas: analysis of prognostic factors and results of surgical management (Yao et al). 3000;128:604-12

**Intestine, small**
Bax is required for increased enterocyte apoptosis after massive small bowel resection (Stern et al). 2000;128:165-70

**Intraoperative period**
A novel, noninvasive imaging technique for intraoperative assessment of parathyroid glands: confocal reflectance microscopy (White et al). 2000;128:1088-1101

**Iodine radioisotopes**
Sestamibi/iodine subtraction single photon emission computed tomography in reoperative secondary hyperparathyroidism (Neumann et al). 2000;128:22-8

**Ischemic preconditioning, myocardial**
Selective mitochondrial KATP channel opening controls human myocardial preconditioning: too much of a good thing (Pomerantz et al). 2000;128:368-73

J

**Jejunum**
Small bowel necrosis in association with early postoperative enteral feeding after pancreatic resection (Jorba et al). 2000;128:111-2

K

**Kidney failure**
Hyperoxic reperfusion exacerbates postischemic renal dysfunction (Zwemer et al). 2000;128:815-21

**Kidney failure, chronic**
Is lower extremity revascularization worthwhile in patient's with end-stage renal disease (Korn et al). 2000;128:472-9

**Kidney transplantation**
Simultaneous pancreas-kidney transplantation in the mycophenolate mofetil/tacrolimus era: evolution from induction therapy with bladder drainage to noninduction therapy with enteric drainage (Kaufman et al). 2000;128:726-37

**Kupffer cells**
Regional muramyl tripeptide phosphatidylethanolamine administration enhances hepatic immune function and tumor surveillance (Karpoff et al). 2000;128:213-8

L

**Laboratory techniques and procedures**
Interpretation of computed tomography does not correlate with laboratory

**Laparoscopy**
Effect of laparotomy and laparoscopy on the establishment of lung metastasis in a murine model (Shiromizu et al). 2000;128:799-805
Laparoscopic detection and resection of insulinomas (Berends et al). 2000;128:386-91

**Laparotomy**
Effect of laparotomy and laparoscopy on the establishment of lung metastasis in a murine model (Shiromizu et al). 2000;128:799-805
Less invasive aortic surgery: the minilaparotomy technique (Turnipseed et al). 2000;128:751-6

**Laryngeal nerves**
The false nonrecurrent inferior laryngeal nerve (Raffaelli et al). 2000;128:1082-7

**Limbs; see Extremities**

**Lipopolysaccharides**
Bactericidal and endotoxin neutralizing activity of a peptide derived from Limulus antilipopolysaccharide factor (Weiss et al). 2000;128:339-44
Hypertonic saline solution induces prostacyclin production by increasing cyclooxygenase-2 expression (Arbabi et al). 2000;128:198-205

**Liposomes**
Liposomal antioxidants provide prolonged protection against acute respiratory distress syndrome (Fan et al). 2000;128:332-8

**Liver diseases**
Laparoscopic treatment of hepatic hydatid cysts (Seven et al). 2000;128:36-40

**Liver neoplasms**
Hepatic resection: effective treatment for primary and secondary tumors (Buell et al). 2000;128:686-93
Pheochromocytoma presenting as a giant cystic tumor of the liver (Wu et al). 2000;128:482-4
Regional muramyl tripeptide phosphatidylethanolamine administration enhances hepatic immune function and tumor surveillance (Karpoff et al). 2000;128:213-8

**Liver transplantation**
Adenovirus-mediated gene therapy to liver grafts: successful gene transfer by donor pretreatment (Takahashi et al). 2000;128:345-52
Liver transplantation from controlled non-heart-beating donors (D'Alessandro et al). 2000;128:579-88
Successful hepatic vein reconstruction in 42 consecutive living related liver transplantations (Kubota et al). 2000;128:48-53

**Living donors**
Liver transplantation from controlled non-heart-beating donors (D'Alessandro et al). 2000;128:579-88

**Lumbar vertebrae**
Efficacy of the laparoscopic approach for anterior lumbar spinal fusion (Cowles et al). 2000;128:589-96

**Lung neoplasms**
Effect of laparotomy and laparoscopy on the establishment of lung metastasis in a murine model (Shiromizu et al). 2000;128:799-805
Evidence for cytotoxic T lymphocyte response against human lung cancer: reconstitution of antigenic epitope with peptide eluted from lung adenocarcinoma MHC class I (Calhoun et al). 2000;128:76-85

**Lung transplantation**
Management of biliary tract disease in heart and lung transplant patients (Gupta et al). 2000;128:641-9

**Lymph node excision**
Evolution of sentinel lymph node biopsy for melanoma at a National Cancer Institute-designated cancer center (Sabel et al). 2000;128:556-63
How many lymph nodes are enough during sentinel lymphadenectomy for primary melanoma (Porter et al). 2000;128:306-11
The implementation of the sentinel node biopsy as a routine procedure for patients with breast cancer (Rahusen et al). 2000;128:6-12
Practical guidelines for optimal gamma probe detection of sentinel lymph nodes in breast cancer: results of a multi-institutional study (Martin et al). 2000;128:139-44
Sentinel node biopsy-comment on techniques (Cady and Chung). 2000;128:13-15 (Commentary)

**Lymphangioma, cystic**
Intra-abdominal cystic lymphangioma (Kim et al). 2000;128:834-5

**Lymphocytes**
Development of an ex vivo model of pig kidney perfused with human lymphocytes: analysis of xenogeneic cellular reactions (Khalfoun et al). 2000;128:447-57

M

**Macromolecular systems**
The macromolecular associations of heat shock protein-27 in vascular smooth muscle (Brophy et al). 2000;128:320-6
**Macrophages**
Macrophages infiltrating the tissue in chronic pancreatitis express the chemokine receptor CCR5 (Goecke et al). 2000;128:806-14
**Magnesium**
Beneficial effects of dietary magnesium and potassium on cardiac and renal morphologic features in cyclosporin A-induced damage in spontaneously hypertensive rats (Pere et al). 2000;128:67-75
**Major histocompatibility complex**
Evidence for cytotoxic T lymphocyte response against human lung cancer: reconstitution of antigenic epitope with peptide eluted from lung adenocarcinoma MHC class I (Calhoun et al). 2000;128:76-85
Intrathymic alloantigen-mediated, tolerant, completely major histocompatibility complex-mismatched mouse hearts are specifically rejected by adoptively transferred anti-class I Ld+specific 2C cells. (Otomo et al). 2000;128:206-12
**Mammography**
Bilateral synchronous breast cancer: mode of detection and comparison of histologic features between the 2 breasts (Hungness et al). 2000;128:702-7
**Mass screening**
Impact of screening survey of gastric cancer on clinicopathological features and survival: retrospective study at a single institution (Kubota et al). 2000;128:41-7
**Meckel's diverticulum**
Inverted Meckel's diverticulum as a source of chronic gastrointestinal blood loss (Heider et al). 2000;128:107-8
**Melanoma**
Evolution of sentinel lymph node biopsy for melanoma at a National Cancer Institute-designated cancer center (Sabel et al). 2000;128:556-63
How many lymph nodes are enough during sentinel lymphadenectomy for primary melanoma (Porter et al). 2000;128:306-11
**Membranes, artificial**
Seprafilm reduces adhesions to polypropylene mesh (Baptista et al). 2000;128:86-92
**Mesenteric arteries**
Mesenteric arterial thrombosis due to activated protein C resistance (factor V Leiden) (Gomez et al). 2000;128:494-6 (Letter)
**Mesentery**
Partial abdominal exenteration, ex vivo resection of a large mesenteric fibroma and successful orthotopic intestinal autotransplantation (Tzakis et al). 2000;128:486-9
**Metabolism**
Persistence of muscle catabolism after severe burns (Hart et al). 2000;128:312-9
**Methylprednisolone**
Clinical benefits of steroid therapy on surgical stress in patients with esophageal cancer (Shimada et al). 2000;128:791-8
**Microcirculation**
Sustained infection induces 2 distinct microvascular mechanisms in the splanchnic circulation (Zhao et al). 2000;128:513-9
**Microsatellite repeats**
Microsatellite marker of interferon-gamma receptor 1 gene correlates with infection following major trauma (Davis et al). 2000;128:301-5
**Microscopy, confocal**
Can we reliably differentiate normal from abnormal parathyroid glands? (In the operating room? Eventually) (van Heerden). 2000;128:1102 (Commentary)
A novel, noninvasive imaging technique for intraoperative assessment of parathyroid glands: confocal reflectance microscopy (White et al). 2000;128:1088-1101
**Mitochondria**
Selective mitochondrial KATP channel opening controls human myocardial preconditioning: too much of a good thing? (Pomerantz et al). 2000;128:368-73
**Mitogen-activated protein kinase; see Ca(2+)-calmodulin dependent protein kinase**
**Mitral valve**
Mitral annular dynamics during rapid atrial pacing (Timek et al). 2000;128:361-7
**Moments in surgery**
See one, do one teach one (Schein). 2000;128:868-9
Stonisms (Satiani). 2000;128:105-6.
The power behind the chair (Tompkins). 2000;128:485
**Monosaccharide transport proteins**
Strategy for identification of novel transporter family members by using Internet-based genomic databases (Phay et al). 2000;128:946-51
**Multiple endocrine neoplasia type 2a**
Pheochromocytoma: inherited associations, bilaterality, and cortex preservation (Inabnet et al). 2000;128:1007-12
Update on the MEN 2A c804 RET mutation: is prophylactic thyroidectomy indicated (Frohnauer and Decker). 2000;128:1052-8
**Multiple organ failure**
Insight into the mechanism by which estradiol improves organ functions after trauma-hemorrhage (Jarrar et al). 2000;128:246-52
**Muscle, smooth, vascular**
The effect of protein kinase C and its alpha subtype on human vascular smooth muscle cell proliferation, migration, and fibronectin production (Okazaki et al). 2000;128:192-7
Homocysteine stimulates MAP kinase in bovine aortic smooth muscle cells (Woo et al). 2000;128:59-66
The macromolecular associations of heat shock protein-27 in vascular smooth muscle (Brophy et al). 2000;128:320-6
**Muscles**
Persistence of muscle catabolism after severe burns (Hart et al). 2000;128:312-9
**Myocardial revascularization**
Clinical outcomes and resource usage in 100 consecutive patients after off-pump coronary bypass procedures (Lee et al). 2000;128:548-55
**Myosin light chains**
Regulation of coronary myoplasmic Ca 2+-myosin light chain phosphorylation pathway and vasomotor tone: hyperpolarizing versus depolarizing cardioplegia (Matsuda and Sellke). 2000;128:185-91

N

**Neck**
The false nonrecurrent inferior laryngeal nerve (Raffaelli et al). 2000;128:1082-7
**Necrosis**
Laparoscopic intracavitary debridement of peripancreatic necrosis (Beattie et al). 2000;128:496 (Letter)
Laparoscopic intracavitary debridement of peripancreatic necrosis (Alverdy and Vargish). 2000;128:496 (Letter reply)
**Neoplasm metastasis**
Effect of laparotomy and laparoscopy on the establishment of lung metastasis in a murine model (Shiromizu et al). 2000;128:799-805
Hepatic resection: effective treatment for primary and secondary tumors (Buell et al). 2000;128:686-93
Is there a role for sentinel node biopsy in early N0 tongue tumors (Chiesa et al). 2000;128:16-21
Papillary thyroid cancer with pulmonary metastases in children: long term prognosis (Brink et al). 2000;128:881-7
Regional muramyl tripeptide phosphatidylethanolamine administration enhances hepatic immune function and tumor surveillance (Karpoff et al). 2000;128:213-8
Vascular invasion and potential for tumor angiogenesis and metastasis in gastric carcinoma (Maehara et al). 2000;128:408-16
**Neoplasm recurrence, local**
Value of preoperative diagnostic modalities in patients with recurrent thyroid carcinoma (Frilling et al). 2000;128:1067-74

**Neoplasm staging**
On the uniform use of the AJCC/UICC staging system for hepatocellular carcinoma (Vauthey and Sobin). 2000;128:870 (Letter)
**Neovascularization, pathologic**
Neutralizing vascular endothelial growth factor activity inhibits thyroid cancer growth in vivo (Soh et al). 2000;128:1059-66
Parathyroid-induced angiogenesis is VEGF-dependent (Carter et al). 2000;128:458-64
Vascular invasion and potential for tumor angiogenesis and metastasis in gastric carcinoma (Maehara et al). 2000;128:408-16
**Neuroendocrine tumors**
Clinical and genetic analysis of patients with pancreatic neuroendocrine tumors associated with von Hippel-Lindau disease (Libutti et al). 2000;128:1022-8
**Neutrophils**
Burn-activated neutrophils and tumor necrosis factor-alter endothelial cell actin cytoskeleton and enhance monolayer permeability (Wright et al). 2000;128:259-65
Endothelial selectin blockade attenuates lung permeability of experimental acid aspiration (Kyriakides et al). 2000;128:327-31
Suppression of PMN apoptosis by hypoxia is dependent upon Mcl-1 and MAPK activity (Leuenroth et al). 2000;128:171-7
**NF-Kappa B**
Pancreatic elastase activates pulmonary nuclear factor kappa B and inhibitory kappa B, mimicking pancreatitis-associated adult respiratory distress syndrome (Jaffray et al). 2000;128:225-31
**Nitric oxide**
Nitric oxide is a neurotransmitter in the chloride secretory response to serotonin in rat colon (Stoner et al). 2000;128:240-5
Positive end expiratory pressure and response to inhaled nitric oxide therapy (Boulanger and Glick). 2000;128:871-2 (Letter)
**Nitric oxide synthase**
Nitric oxide synthase inhibition negates bombesin-induced gastroprotection (Castañeda et al). 2000;128:422-8
Supplemental dietary arginine enhances wound healing in normal but not inducible nitric oxide synthase knockout mice (Shi et al). 2000;128:374-8
**Nucleic acid hybridization**
Screening for genetic aberrations in papillary thyroid cancer by using comparative genomic hybridization (Singh et al). 2000;128:888-94

**O**

**Oncogene protein p21(ras)**
p21WAF-1 expression is associated with improved survival after adjuvant chemoradiation for pancreatic cancer (Ahrendt et al). 2000;128:520-30
**or pathologic findings in surgically confirmed acute appendicitis (Weyant et al). 2000;128:145-52**
**Organ donors; see Tissue donors**
**Organ transplantation**
Transcription factors in cell biology, surgery, and transplantation. (Hedin et al). 2000;128:1-5
**Outcome assessment (Health care)**
The role of surrogate outcome measures in evaluating medical devices (DeMets). 2000;128:379-85

**P**

**Pancreas**
Pancreas divisum-really (Warshaw). 2000;128:832-3
**Pancreas transplantation**
Prolonged preservation increases complications after pancreas transplants (Shuhaiber). 2000;128:872 (Letter)
Simultaneous pancreas-kidney transplantation in the mycophenolate mofetil/tacrolimus era: evolution from induction therapy with bladder drainage to noninduction therapy with enteric drainage (Kaufman et al). 2000;128:726-37
**Pancreatectomy**
Anatomical segmentectomy of the head of the pancreas along the embryological fusion plane: a feasible procedure (Sakamoto et al). 2000;128:822-31
Distal pancreatectomy using the harmonic scalpel (Sugo et al). 2000;128:490-1
Does the participation of a surgical trainee adversely impact patient outcomes: a study of major pancreatic resections in California (Hutter et al). 2000;128:286-92
Noninsulinoma pancreatogenous hypoglycemia syndrome: an update in ten surgically treated patients (Thompson et al). 2000;128:937-45
**Pancreatic diseases**
Laparoscopic intracavitary debridement of peripancreatic necrosis (Beattie et al). 2000;128:496 (Letter)
Laparoscopic intracavitary debridement of peripancreatic necrosis (Alverdy and Vargish). 2000;128:496 (Letter reply)
**Pancreatic neoplasms**
Alveolar echinococcosis of the pancreas (Bozda et al). 2000;128:109-10
The cancer-associated Sm-like oncogene: a novel target for the gene therapy of pancreatic cancer (Kelley et al). 2000;128:353-60
Clinical and genetic analysis of patients with pancreatic neuroendocrine tumors associated with von Hippel-Lindau disease (Libutti et al). 2000;128:1022-8
p21WAF-1 expression is associated with improved survival after adjuvant chemoradiation for pancreatic cancer (Ahrendt et al). 2000;128:520-30
Pancreaticoduodenal endocrine tumors in multiple endocrine neoplasia type 1: surgery or surveillance (Bartsch et al). 2000;128:958-66
Value of intra-arterial calcium stimulated venous sampling for regionalization of pancreatic insulinomas (Lo et al). 2000;128:903-9
**Pancreaticoduodenectomy**
Safety and long-term efficacy of transduodenal excision for tumors of the ampulla of Vater (Posner et al). 2000;128:694-701
Small bowel necrosis in association with early postoperative enteral feeding after pancreatic resection (Jorba et al). 2000;128:111-2
**Pancreatitis**
Endothelin receptor blockade in severe acute pancreatitis leads to systemic enhancement of microcirculation, stabilization of capillary permeability, and improved survival rates (Foitzik et al). 2000;128:399-407
Macrophages infiltrating the tissue in chronic pancreatitis express the chemokine receptor CCR5 (Goecke et al). 2000;128:806-14
Pancreas divisum-really (Warshaw). 2000;128:832-3
Pancreatic elastase activates pulmonary nuclear factor kappa B and inhibitory kappa B, mimicking pancreatitis-associated adult respiratory distress syndrome (Jaffray et al). 2000;128:225-31
Substance P is a determinant of lethality in diet-induced hemorrhagic pancreatitis in mice (Maa et al). 2000;128:232-9
**Pancreatopeptidase**
Functional importance of connective tissue repair during the development-of experimental abdominal aortic aneurysms (Huffman et al). 2000;128:429-38
**Pancretopeptides**
Pancreatic elastase activates pulmonary nuclear factor kappa B and inhibitory kappa B, mimicking pancreatitis-associated adult respiratory distress syndrome (Jaffray et al). 2000;128:225-31
**Parathyroid gland**
Can we reliably differentiate normal from abnormal parathyroid glands? (In the operating room? Eventually) (van Heerden). 2000;128:1102 (Commentary)
Late parathyroid function after successful parathyroidectomy guided by intraoperative hormone assay (QPTH) compared with the standard bilateral neck exploration (Carneiro and Irvin). 2000;128:925-9
A novel, noninvasive imaging technique for intraoperative assessment of parathyroid glands: confocal reflectance microscopy (White et al). 2000;128:1088-1101

**Parathyroid hormones**
Intraoperative decay profile of intact (1-84) parathyroid hormone in surgery for renal hyperparathyroidism: a consecutive series of 80 patients (Lokey et al). 2000;128:1029-34
Normalization of intraoperative parathyroid hormone does not predict normal postoperative parathyroid hormone levels (Starr et al). 2000;128:930-6
**Parathyroid neoplasms**
Technetium 99m-MIBI-SPECT: a highly sensitive diagnostic tool for localization of parathyroid adenomas (Moka et al). 2000;128:29-35
Ultrasound and sestamibi scan as the only preoperative imaging tests in reoperation for parathyroid adenomas (Feingold et al). 2000;128:1103-10
**Parathyroidectomy**
Intraoperative sestamibi scanning in reoperative parathyroidectomy (Rossi et al). 2000;128:744-50
Is calciphylaxis best treated surgically or medically (Kang et al). 2000;128:967-72
Late parathyroid function after successful parathyroidectomy guided by intraoperative hormone assay (QPTH) compared with the standard bilateral neck exploration (Carneiro and Irvin). 2000;128:925-9
Left ventricular systolic and diastolic function and exercise testing in primary hyperparathyroidism-effects of parathyroidectomy (Nilsson et al). 2000;128:895-902
Normalization of intraoperative parathyroid hormone does not predict normal postoperative parathyroid hormone levels (Starr et al). 2000;128:930-6
Parathyroid-induced angiogenesis is VEGF-dependent (Carter et al). 2000;128:458-64
A prospective surgical outcome study assessing the impact of parathyroidectomy on symptoms in patients with secondary and tertiary hyperparathyroidism (Pasieka and Parson). 2000;128:531-9
Randomized trial of parathyroidectomy in mild asymptomatic primary hyperparathyroidism: patient description and effects on the SF-36 health survey (Talpos et al). 2000;128:1013-21
Video-assisted versus conventional parathyroidectomy in primary hyperparathyroidism (Ng). 2000;128:120 (Letter)
Video-assisted versus conventional parathyroidectomy in primary hyperparathyroidism (Miccoli). 2000;128:120 (Letter reply)
**Patient advocacy**
Invited commentary: surgical practice and decision making-is the patient's voice heard (Schapira). 2000;128:862-4
**Patient care team**
Presidential address: interdisciplinary care-the future of endocrine surgery (Harness). 2000;128:873-80
**Pelvic bones**
Dynamic helical computed tomography scan accurately detects hemorrhage in patients with pelvic fracture (Pereira et al). 2000;128:678-85
**Peptide peptidohydrolase**
Substance P is a determinant of lethality in diet-induced hemorrhagic pancreatitis in mice (Maa et al). 2000;128:232-9
**Peptides**
Bactericidal and endotoxin neutralizing activity of a peptide derived from Limulus antilipopolysaccharide factor (Weiss et al). 2000;128:339-44
**Pheochromocytoma**
Limitations of size as a criterion in the evaluation of adrenal tumors (Barnett et al). 2000;128:973-83
Pheochromocytoma: inherited associations, bilaterality, and cortex preservation (Inabnet et al). 2000;128:1007-12
Pheochromocytoma presenting as a giant cystic tumor of the liver (Wu et al). 2000;128:482-4
Strategy for identification of novel transporter family members by using Internet-based genomic databases (Phay et al). 2000;128:946-51
**Phosphatidylethanolamines**
Regional muramyl tripeptide phosphatidylethanolamine administration enhances hepatic immune function and tumor surveillance (Karpoff et al). 2000;128:213-8
**Physicians**
Presidential address: dead wrong-thinking about.. thinking about.. health care (Fischer). 2000;128:497-504
**Polymorphism (Genetic)**
Cytochrome P450 polymorphisms are associated with reduced warfarin dose (Freeman et al). 2000;128:281-5
Microsatellite marker of interferon-gamma receptor 1 gene correlates with infection following major trauma (Davis et al). 2000;128:301-5
**Portosystemic shunt, surgical**
Surgical shunts and tips for variceal decompression in the 1990s (Henderson et al). 2000;128:540-7
**Positive-pressure respiration**
Positive end expiratory pressure and response to inhaled nitric oxide therapy (Boulanger and Glick). 2000;128:871-2 (Letter)
**Postoperative complications**
Prolonged preservation increases complications after pancreas transplants (Shuhaiber). 2000;128:872 (Letter)
**Potassium**
Beneficial effects of dietary magnesium and potassium on cardiac and renal morphologic features in cyclosporin A-induced damage in spontaneously hypertensive rats (Pere et al). 2000;128:67-75
**Practice guidelines**
Impact of breast cancer treatment guidelines on surgeon practice patterns: results of a hospital-based intervention (Mor et al). 2000;128:847-61
Practical guidelines for optimal gamma probe detection of sentinel lymph nodes in breast cancer: results of a multi-institutional study (Martin et al). 2000;128:139-44
**Prejudice**
Early-stage breast cancer treatment for elderly women-does one size fit all (Woloshin and Schwartz). 2000;128:865-7 (Commentary)
Impact of breast cancer treatment guidelines on surgeon practice patterns: results of a hospital-based intervention (Mor et al). 2000;128:847-61
Surgical practice and decision making-is the patient's voice heard (Schapira). 2000;128:862-4 (Commentary)
**Prone position**
Prone positioning for acute respiratory distress syndrome in the surgical intensive care unit: who, when, and how long (Johannigman et al). 2000;128:708-16
**Prostacyclin; see Epoprostenol**
**Prostaglandin-endoperoxide synthase**
Hypertonic saline solution induces prostacyclin production by increasing cyclooxygenase-2 expression (Arbabi et al). 2000;128:198-205
**Protein C**
Mesenteric arterial thrombosis due to activated protein C resistance (factor V Leiden) (Gomez et al). 2000;128:494-6 (Letter)
**Protein kinase c**
The effect of protein kinase C and its alpha subtype on human vascular smooth muscle cell proliferation, migration, and fibronectin production (Okazaki et al). 2000;128:192-7
**Proto-oncogene proteins**
Variable expressivity of familial medullary thyroid carcinoma (FMTC) due to a RET V804M (GTG ATG) mutation (Feldman et al). 2000;128:93-8
**Proto-oncogene proteins c-erbB-2**
HER2 regulatory control of angiopoietin-2 in breast cancer (Carter and Ward). 2000;128:153-8

## Q

**Quality control**
Application of quality improvement to surgical practice (Hamby et al). 2000;128:836-44
Application of quality improvement to surgical practice-a word of caution (Khuri). 2000;128:845-6 (Commentary)
**Quinacrine**
Interstitial quinacrine for elimination of abnormal tissue; therapy of experimental glioma (Sotelo et al). 2000;128:439-46

R

**Radical neck dissection**
Late parathyroid function after successful parathyroidectomy guided by intraoperative hormone assay (QPTH) compared with the standard bilateral neck exploration (Carneiro and Irvin). 2000;128:925-9
**Radionuclide imaging**
Intraoperative sestamibi scanning in reoperative parathyroidectomy (Rossi et al). 2000;128:744-50
Practical guidelines for optimal gamma probe detection of sentinel lymph nodes in breast cancer: results of a multi-institutional study (Martin et al). 2000;128:139-44
Technetium 99m-MIBI-SPECT: a highly sensitive diagnostic tool for localization of parathyroid adenomas (Moka et al). 2000;128:29-35
**Radiotherapy, adjuvant**
Impact of breast cancer treatment guidelines on surgeon practice patterns: results of a hospital-based intervention (Mor et al). 2000;128:847-61
Neoadjuvant chemotherapy, radical resection with intraoperative radiation therapy (IORT): improved treatment for gastric adenocarcinoma (Weese et al). 2000;128:564-71
p2lWAF-1 expression is associated with improved survival after adjuvant chemoradiation for pancreatic cancer (Ahrendt et al). 2000;128:520-30
**Receptor protein-tyrosine kinase**
Prognostic significance of RET and NTRKI rearrangements in sporadic papillary thyroid carcinoma (Musholt et al). 2000;128:984-93
**Receptors, endothelin**
Endothelin receptor blockade in severe acute pancreatitis leads to systemic enhancement of microcirculation, stabilization of capillary permeability, and improved survival rates (Foitzik et al). 2000;128:399-407
**Receptors, interferon**
Microsatellite marker of interferon-gamma receptor 1 gene correlates with infection following major trauma (Davis et al). 2000;128:301-5
**Rectum**
Surgical treatment of Surgical treatment of anorectal complications in Crohn's disease (Michelassi et al). 2000;128:597-603
**Recurrent laryngeal nerve**
The false nonrecurrent inferior laryngeal nerve (Raffaelli et al). 2000;128:1082-7
**Renal artery**
Angioplasty does not affect subsequent operative renal artery revascularization (Desai et al). 2000;128:717-25
**Reoperation**
Intraoperative sestamibi scanning in reoperative parathyroidectomy (Rossi et al). 2000;128:744-50
Ultrasound and sestamibi scan as the only preoperative imaging tests in reoperation for parathyroid adenomas (Feingold et al). 2000;128:1103-10
**Reperfusion injury**
Effect of local and remote ischemia-reperfusion injury on healing of colonic anastomoses (Kologlu et al). 2000;128:99-104
Hyperoxic reperfusion exacerbates postischemic renal dysfunction (Zwemer et al). 2000;128:815-21
**Respiratory distress syndrome, adult**
Liposomal antioxidants provide prolonged protection against acute respiratory distress syndrome (Fan et al). 2000;128:332-8
Prone positioning for acute respiratory distress syndrome in the surgical intensive care unit: who, when, and how long (Johannigman et al). 2000;128:708-16
**Retinoic acid; see Tretinoin**
**Risk assessment**
The risk assessment profile score identifies trauma patients at risk for deep vein thrombosis (Gearhart et al). 2000;128:631-40
**Risk factors**
Risk factors and surveillance for surgical wound infections. 2000;128:S2-S13

S

**Saline solution, hypertonic**
Hypertonic saline solution induces prostacyclin production by increasing cyclooxygenase-2 expression (Arbabi et al). 2000;128:198-205
**Saphenous vein**
All-artery multigraft coronary artery bypass grafting with only internal thoracic arteries possible and safe: a randomized trial (Myers et al). 2000;128:650-9
**Sarcoma**
Primary gastrointestinal sarcomas: analysis of prognostic factors and results of surgical management (Yao et al). 3000;128:604-12
**Scintigraphy; see Radionuclide imaging**
**Selectin**
Endothelial selectin blockade attenuates lung permeability of experimental acid aspiration (Kyriakides et al). 2000;128:327-31
**Sepsis**
IL-4-induced activation of the Stat6 pathway contributes to the suppression of cell-mediated immunity and death in sepsis (Song et al). 2000;128:133-8
Sustained infection induces 2 distinct microvascular mechanisms in the splanchnic circulation (Zhao et al). 2000;128:513-9
**Sepsis syndrome**
Bactericidal and endotoxin neutralizing activity of a peptide derived from Limulus antilipopolysaccharide factor (Weiss et al). 2000;128:339-44
**Serotonin**
Nitric oxide is a neurotransmitter in the chloride secretory response to serotonin in rat colon (Stoner et al). 2000;128:240-5
**Signal transduction**
Suppression of PMN apoptosis by hypoxia is dependent upon Mcl-1 and MAPK activity (Leuenroth et al). 2000;128:171-7
**Sleep deprivation**
Effect of resident call status on ABSITE performance (Stone et al). 2000;128:465-71
**Societies, medical**
Presidental address: evolution (Beauchamp). 2000;128:123-32
**Spinal fusion**
Efficacy of the laparoscopic approach for anterior lumbar spinal fusion (Cowles et al). 2000;128:589-96
**Splanchnic circulation**
Sustained infection induces 2 distinct microvascular mechanisms in the splanchnic circulation (Zhao et al). 2000;128:513-9
**Spleen**
Gastric outlet obstruction secondary to wandering spleen (Ugolini et al). 2000;128:480-1
**Splenectomy**
Laparoscopic splenectomy: outcomes and lessons learned from over 200 cases (Park et al). 2000;128:660-7
**Steroids**
Clinical benefits of steroid therapy on surgical stress in patients with esophageal cancer (Shimada et al). 2000;128:791-8
**Stomach neoplasms**
Impact of screening survey of gastric cancer on clinicopathological features and survival: retrospective study at a single institution (Kubota et al). 2000;128:41-7
Neoadjuvant chemotherapy, radical resection with intraoperative radiation therapy (IORT): improved treatment for gastric adenocarcinoma (Weese et al). 2000;128:564-71
Primary gastrointestinal sarcomas: analysis of prognostic factors and results of surgical management (Yao et al). 3000;128:604-12
Vascular invasion and potential for tumor angiogenesis and metastasis in gastric carcinoma (Maehara et al). 2000;128:408-16

**Stomach volvulus**
Laparoscopic repair of chronic intrathoracic gastric volvulus (Katkhouda et al). 2000;128:784-90
**Students, medical**
What influences medical students' choice of surgical careers (Erzurum et al). 2000;128:253-6
What influences medical students' choice of surgical careers: a critical appraisal (Nussbaum). 2000;128:257-8 (Editorial)
**Substance P**
Substance P is a determinant of lethality in diet-induced hemorrhagic pancreatitis in mice (Maa et al). 2000;128:232-9
**Surgeons**
Evaluating surgical competency with the American Board of Surgery In-Training Examination, skill testing, and intraoperative assessment (Scott et al). 2000;128:613-22
See one, do one teach one (Schein). 2000;128:868-9
The power behind the chair (Tompkins). 2000;128:485
Stonisms (Satiani). 2000;128:105-6
**Surgery**
Application of quality improvement to surgical practice (Hamby et al). 2000;128:836-44
Application of quality improvement to surgical practice-a word of caution (Khuri). 2000;128:845-6 (Commentary)
Presidental address: evolution (Beauchamp). 2000;128:123-32
Transcription factors in cell biology, surgery, and transplantation. (Hedin et al). 2000;128:1-5
What influences medical students' choice of surgical careers (Erzurum et al). 2000;128:253-6
What influences medical students' choice of surgical careers-a critical appraisal (Nussbaum). 2000;128:257-8 (Editorial)
**Surgical mesh**
Lichtenstein or plug-and-mesh in inguinal hernia repair (Metzger et al). 2000;128:870-1 (Letter)
Lichtenstein or plug-and-mesh in inguinal hernia repair (Kingsnorth). 2000;128:871 (Letter reply)
Seprafilm reduces adhesions to polypropylene mesh (Baptista et al). 2000;128:86-92
**Surgical procedures, elective**
Insulin resistance and elective surgery (Ljungqvist et al). 2000;128:757-60
**Surgical procedures, endoscopic**
Endoscopic endocrine neck surgery with carbon dioxide insufflation: the effect on intracranial pressure in a large animal model (Rubino et al). 2000;128:1035-42
**Surgical procedures, laparoscopic**
Effect of laparotomy and laparoscopy on the establishment of lung metastasis in a murine model (Shiromizu et al). 2000;128:799-805
Efficacy of the laparoscopic approach for anterior lumbar spinal fusion (Cowles et al). 2000;128:589-96
Laparoscopic detection and resection of insulinomas (Berends et al). 2000;128:386-91
Laparoscopic intracavitary debridement of peripancreatic necrosis (Beattie et al). 2000;128:496 (Letter)
Laparoscopic intracavitary debridement of peripancreatic necrosis (Alverdy and Vargish). 2000;128:496 (Letter reply)
Laparoscopic repair of chronic intrathoracic gastric volvulus (Katkhouda et al). 2000;128:784-90
Laparoscopic splenectomy: outcomes and lessons learned from over 200 cases (Park et al). 2000;128:660-7
Laparoscopic treatment of hepatic hydatid cysts (Seven et al). 2000;128:36-40
Long-term results of surgical repair of bile duct injuries following laparoscopic cholecystectomy (Johnson et al). 2000;128:668-77
**Surgical procedures, operative**
Distal pancreatectomy using the harmonic scalpel (Sugo et al). 2000;128:490-1
Does the participation of a surgical trainee adversely impact patient outcomes: a study of major pancreatic resections in California (Hutter et al). 2000;128:286-92
**Surgical wound infections**
Current trends in antibiotic prophylaxis in surgery. 2000;128:S14-S18
Deliberations on the risks and antibiotic management of surgical infections: preface (Nichols and Martone). 2000;128:S1
Diagnosis and treatment of uncomplicated and complicated surgical infections. 2000;128:S19-S30
Risk factors and surveillance for surgical wound infections. 2000;128:S2-S13

## T

**T-lymphocytes**
A central role for CD95 (Fas) in T-cell reactivity after injury (Kell et al). 2000;128:159-64
Evidence for cytotoxic T lymphocyte response against human lung cancer: reconstitution of antigenic epitope with peptide eluted from lung adenocarcinoma MHC class 1 (Calhoun et al). 2000;128:76-85
**Tacrolimus**
Simultaneous pancreas-kidney transplantation in the mycophenolate mofetil/tacrolimus era: evolution from induction therapy with bladder drainage to noninduction therapy with enteric drainage (Kaufman et al). 2000;128:726-37
**Technetium Tc 99m sestamibi**
Intraoperative sestamibi scanning in reoperative parathyroidectomy (Rossi et al). 2000;128:744-50
Sestamibi/iodine subtraction single photon emission computed tomography in reoperative secondary hyperparathyroidism (Neumann et al). 2000;128:22-8
Technetium 99m-MIBI-SPECT: a highly sensitive diagnostic tool for localization of parathyroid adenomas (Moka et al). 2000;128:29-35
Ultrasound and sestamibi scan as the only preoperative imaging tests in reoperation for parathyroid adenomas (Feingold et al). 2000;128:1103-10
**Thoracic arteries**
All-artery multigraft coronary artery bypass grafting with only internal thoracic arteries possible and safe: a randomized trial (Myers et al). 2000;128:650-9
**Thrombophlebitis**
The risk assessment profile score identifies trauma patients at risk for deep vein thrombosis (Gearhart et al). 2000;128:631-40
**Thrombosis**
Clinicopathologic evaluation of hepatocellular carcinoma with bile duct thrombi (Satoh et al). 2000;128:779-83
**Thyroid gland**
Overexpression of heme oxygenase-1 protects allogeneic thyroid grafts from rejection in naive mice (Niimi et al). 2000;128:910-7
**Thyroid neoplasms**
The helix-loop-helix transcription factor, Idl, is overexpressed in medullary thyroid cancer (Kebebew et al). 2000;128:952-7
Is familial non-medullary thyroid carcinoma more aggressive than sporadic thyroid cancer: a multicenter series (Alsanea et al). 2000;128:1043-51
Neutralizing vascular endothelial growth factor activity inhibits thyroid cancer growth in vivo (Soh et al). 2000;128:1059-66
Papillary thyroid cancer with pulmonary metastases in children: long term prognosis (Brink et al). 2000;128:881-7
Prognostic significance of RET and NTRKI rearrangements in sporadic papillary thyroid carcinoma (Musholt et al). 2000;128:984-93
Screening for genetic aberrations in papillary thyroid cancer by using comparative genomic hybridization (Singh et al). 2000;128:888-94
Strategy for identification of novel transporter family members by using Internet-based genomic databases (Phay et al). 2000;128:946-51
Update on the MEN 2A c804 RET mutation: is prophylactic thyroidectomy indicated (Frohnauer and Decker). 2000;128:1052-8

Value of preoperative diagnostic modalities in patients with recurrent thyroid carcinoma (Frilling et al). 2000;128:1067-74
Variable expressivity of familial medullary thyroid carcinoma (FMTC) due to a RET V804M (GTG ATG) mutation (Feldman et al). 2000;128:93-8

**Thyroidectomy**
Endoscopic endocrine neck surgery with carbon dioxide insufflation: the effect on intracranial pressure in a large animal model (Rubino et al). 2000;128:1035-42
Hypothyroidism following hemithyroidectomy: incidence, risk factors and management (McHenry and Slusarczyk). 2000;128:994-8
Update on the MEN 2A c804 RET mutation: is prophylactic thyroidectomy indicated (Frohnauer and Decker). 2000;128:1052-8

**Thyrotropin**
Hypothyroidism following hemithyroidectomy: incidence, risk factors and management (McHenry and Slusarczyk). 2000;128:994-8

**Tissue donors**
Adenovirus-mediated gene therapy to liver grafts: successful gene transfer by donor pretreatment (Takahashi et al). 2000;128:345-52
Liver transplantation from controlled non-heart-beating donors (D'Alessandro et al). 2000;128:579-88

**Tomography, emission computed, single photon**
Sestamibi/iodine subtraction single photon emission computed tomography in reoperative secondary hyperparathyroidism (Neumann et al). 2000;128:22-8
Technetium 99m-MIBI-SPECT: a highly sensitive diagnostic tool for localization of parathyroid adenomas (Moka et al). 2000;128:29-35

**Tomography, x-ray computed**
Dynamic helical computed tomography scan accurately detects hemorrhage in patients with pelvic fracture (Pereira et al). 2000;128:678-85
Interpretation of computed tomography does not correlate with laboratory
Intrahepatic inflow areas of the drainage vein of the gallbladder: analysis by angio-CT (Sugita et al). 2000;128:417-21

**Tongue neoplasms**
Is there a role for sentinel node biopsy in early N0 tongue tumors? (Chiesa et al). 2000;128:16-21

**Trachea**
Short-term tracheal occlusion corrects pulmonary vascular anomalies in the fetal lamb with diaphragmatic hernia (Luks et al). 2000;128:266-72

**Transcription factors**
The helix-loop-helix transcription factor, Idl, is overexpressed in medullary thyroid cancer (Kebebew et al). 2000;128:952-7
Transcription factors in cell biology, surgery, and transplantation. (Hedin et al). 2000;128:1-5

**Transplantation, heterologous**
Development of an ex vivo model of pig kidney perfused with human lymphocytes: analysis of xenogeneic cellular reactions (Khalfoun et al). 2000;128:447-57

**Transplantation, homologous**
Intrathymic alloantigen-mediated, tolerant, completely major histocompatibility complex-mismatched mouse hearts are specifically rejected by adoptively transferred anti-class I Ld+-specific 2C cells. (Otomo et al). 2000;128:206-12
A murine model of allogeneic adrenocortical cell transplantation: perspectives for the treatment of Addison's disease in humans (Ellerkamp et al). 2000;128:999-1006
Overexpression of heme oxygenase-1 protects allogeneic thyroid grafts from rejection in naive mice (Niimi et al). 2000;128:910-7

**Tretinoin**
All-trans-retinoic acid decreases cell proliferation and increases apoptosis in an animal model of vein bypass grafting (Leville et al). 2000;128:178-84

**Tumor markers, biological**
HER2 regulatory control of angiopoietin-2 in breast cancer (Carter and Ward). 2000;128:153-8

**Tumor necrosis factor**
Burn-activated neutrophils and tumor necrosis factor-alter endothelial cell actin cytoskeleton and enhance monolayer permeability (Wright et al). 2000;128:259-65

**Tyrosine kinase receptor; see Receptor protein-tyrosine kinase**

**U**

**Ultrasonography**
Distal pancreatectomy using the harmonic scalpel (Sugo et al). 2000;128:490-1
Ultrasound and sestamibi scan as the only preoperative imaging tests in reoperation for parathyroid adenomas (Feingold et al). 2000;128:1103-10
Value of preoperative diagnostic modalities in patients with recurrent thyroid carcinoma (Frilling et al). 2000;128:1067-74

**V**

**Vaccines, DNA**
Immunization with DNA coding for gp100 results in CD4+ T-cell independent antitumor immunity (Hawkins et al). 2000;128:173-80

**Vascular surgical procedures**
Predictors of health after revascularization for extremity ischemia (Nackman et al). 2000;128:293-300

**Vater's ampulla**
Safety and long-term efficacy of transduodenal excision for tumors of the ampulla of Vater (Posner et al). 2000;128:694-701

**Vena caval, inferior**
Abdominal vena caval injuries: outcomes remain dismal (Hansen et al). 2000;128:572-8
Abdominal vena caval injuries: Outcomes remain dismal (Hansen et al). 2000;128:572-8

**W**

**Warfarin**
Cytochrome P450 polymorphisms are associated with reduced warfarin dose (Freeman et al). 2000;128:281-5

**Wound healing**
Supplemental dietary arginine enhances wound healing in normal but not inducible nitric oxide synthase knockout mice (Shi et al). 2000;128:374-8

**Wounds and injuries**
A central role for CD95 (Fas) in T-cell reactivity after injury (Kell et al). 2000;128:159-64
The risk assessment profile score identifies trauma patients at risk for deep vein thrombosis (Gearhart et al). 2000;128:631-40

**Wounds, gunshot**
Transmediastinal gunshot injuries (Degiannis et al). 2000;128:54-8

**X**

**Xenogenic antigens; see Antigens, heterophil**

**Z**

**Zollinger, Robert Milton**
The power behind the chair (Tompkins). 2000;128:485